

**STRUCTURALLY DEFICIENT
STATE MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
02SR0160003	BEDFORD	SR016	6.68	WEAKLEY CREEK	OPEN	12/7/2010	1941	35.600567	-86.584300	CONCRETE	TEE BEAM	43.7
02SR0160005	BEDFORD	SR016	6.73	WEAKLEY CREEK OVERFLOW	OPEN	12/7/2010	1941	35.613383	-86.583717	CONCRETE	TEE BEAM	34.7
02SR1300017	BEDFORD	SR130	10.81	DUCK RIVER	WEIGHT POSTED	2/22/2011	1934	35.471667	-86.446667	STEEL	TRUSS - THRU	21.2
02S42890003	BEDFORD	SR269	18.96	CARR BRANCH	OPEN	7/25/2011	1941	35.441667	-86.263333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.4
03SR0010001	BENTON	SR001	0.43	HUNTING CREEK	OPEN	7/29/2010	1950	36.034333	-88.205750	CONCRETE	TEE BEAM	48.8
03SR0690019	BENTON	SR069	4.83	BIRDSONG CREEK	OPEN	7/29/2010	1975	35.910444	-88.102167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	49.1
03017720001	BENTON	SR147	1.83	DRY CREEK	OPEN	8/9/2010	1977	36.245278	-88.060861	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	61.4
04SR0300001	BLED SOE	SR030	1.09	BRADDEN CREEK	OPEN	6/14/2010	1956	35.683333	-85.276667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.0
05SR0330011	BLOUNT	SR033	16.90	LITTLE RIVER	OPEN	11/5/2009	1925	35.819150	-83.937133	CONCRETE	TEE BEAM	40.0
05SR1150003	BLOUNT	SR115	3.15	NINE MILE CREEK	OPEN	11/3/2009	1938	35.609317	-84.093183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.4
05SR3360001	BLOUNT	SR336	0.52	LITTLE BAKER CREEK	OPEN	10/28/2009	1960	35.606017	-84.103783	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	45.7
06SR0020015	BRADLEY	SR002	20.92	HIWASSEE RIVER & SOU RR	OPEN	7/27/2011	1995	35.289867	-84.757050	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	48.9
06SR0740001	BRADLEY	SR074	0.01	OVERFLOW CONASAUGA RIVER	OPEN	8/3/2011	1937	34.988067	-84.775967	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	23.9
06SR0740003	BRADLEY	SR074	0.14	CONASAUGA RIVER	OPEN	8/3/2011	1937	34.990083	-84.775450	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	22.2
07I00750013	CAMPBELL	I0075	5.57	NFA A031	OPEN	10/29/2009	1967	36.305983	-84.225967	CONCRETE CONTINUOUS	TEE BEAM	51.8
07I00750017	CAMPBELL	I0075	11.24	NFA A716	OPEN	10/30/2009	1967	36.378317	-84.245433	CONCRETE CONTINUOUS	TEE BEAM	49.9
07I00750018	CAMPBELL	I0075	11.24	SR 63	OPEN	10/30/2009	1967	36.377800	-84.245633	CONCRETE CONTINUOUS	TEE BEAM	48.9
07S23450007	CAMPBELL	SR297	5.24	LICK FORK CREEK	OPEN	5/11/2011	1939	36.464800	-84.281917	CONCRETE	TEE BEAM	37.1
09S81460005	CARROLL	SR114	12.83	MAPLE CREEK	OPEN	4/6/2010	1961	35.922917	-88.298611	CONCRETE	CHANNEL BEAM	50.1
09S81460009	CARROLL	SR114	18.06	MOORE CREEK	OPEN	4/6/2010	1959	35.995722	-88.278250	CONCRETE	CHANNEL BEAM	46.7
09S80380001	CARROLL	SR423	2.60	CLEAR CREEK	OPEN	4/13/2010	1956	36.119028	-88.465528	CONCRETE	CHANNEL BEAM	42.3
09S80370005	CARROLL	SR424	3.04	RUTHERFORD FK. OBION RIV	OPEN	4/8/2010	1975	35.859056	-88.507167	CONCRETE	CHANNEL BEAM	33.7
09S80370007	CARROLL	SR424	3.09	OVERFLOW	OPEN	4/8/2010	1975	35.859278	-88.506306	CONCRETE	CHANNEL BEAM	47.9
09S80370011	CARROLL	SR424	11.61	ROAN CREEK	OPEN	4/13/2010	1975	35.862389	-88.402972	CONCRETE	CHANNEL BEAM	49.9
09S80370021	CARROLL	SR424	15.80	BIG SANDY RIVER OVERFLOW	OPEN	4/13/2010	1956	35.847694	-88.341444	CONCRETE	CHANNEL BEAM	43.8
09S82330003	CARROLL	SR436	3.87	OVERFLOW	OPEN	4/13/2010	1963	36.050306	-88.508972	CONCRETE	CHANNEL BEAM	48.7
09S82330005	CARROLL	SR436	3.93	OVERFLOW	OPEN	4/13/2010	1963	36.051028	-88.508056	CONCRETE	CHANNEL BEAM	48.7
09S82330007	CARROLL	SR436	4.04	OVERFLOW	OPEN	4/13/2010	1940	36.052083	-88.506778	CONCRETE	CHANNEL BEAM	48.9
09S82330009	CARROLL	SR436	4.14	SOUTH FORK OBION RIVER	OPEN	4/13/2010	1963	36.053111	-88.338750	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	49.5
09S82330011	CARROLL	SR436	4.28	OLD RIVER BED	OPEN	4/14/2010	1940	36.054611	-88.503583	CONCRETE	CHANNEL BEAM	49.0
09S82330013	CARROLL	SR436	6.07	OVERFLOW	WEIGHT POSTED	4/14/2010	1955	36.073722	-88.511111	CONCRETE	CHANNEL BEAM	7.0
10SR0670031	CARTER	SR067	2.40	POWDER BRANCH	OPEN	7/19/2011	1986	36.317911	-82.277500	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	37.6
10SR1590005	CARTER	SR159	7.23	ELK RIVER	OPEN	7/20/2011	1957	36.276517	-81.990450	CONCRETE	TEE BEAM	22.5
10023770003	CARTER	SR362	3.81	GAP CREEK	OPEN	7/11/2011	1948	36.313617	-82.240267	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	49.4
11I00400012	CHEATHAM	I0040	5.63	HARPETH RIVER	OPEN	9/9/2010	1960	36.086667	-87.075000	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	53.4
11I00400011	CHEATHAM	I0040	5.63	HARPETH RIVER	OPEN	9/9/2010	1960	36.086667	-87.075000	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	75.8
11SR0120007	CHEATHAM	SR012	11.49	SYCAMORE CREEK	OPEN	9/15/2010	1949	36.329833	-87.121683	CONCRETE	TEE BEAM	48.0

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
STATE MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
11SR0120009	CHEATHAM	SR012	16.41	DRY FORK CREEK	OPEN	9/15/2010	1955	36.357067	-87.175533	CONCRETE	TEE BEAM	48.3
11SR0490001	CHEATHAM	SR049	0.39	HARPETH RIVER	WEIGHT POSTED	2/15/2011	1933	36.286667	-87.146667	STEEL	TRUSS - THRU	25.0
15SR0350005	COCKE	0A494	2.77	CLEAR CREEK	OPEN	8/9/2011	1919	36.010067	-83.095883	CONCRETE	ARCH - DECK	30.5
15SR0350007	COCKE	0A495	1.14	CLEAR CREEK	OPEN	8/9/2011	1918	36.012950	-83.071683	CONCRETE	ARCH - DECK	26.5
						6/2/2010				PRESTRESSED	STRINGER/MULTI-BEAM	
15I00400023	COCKE	I0040	9.76	PIGEON RIVER	OPEN		1970	35.890317	-83.186867	CONCRETE CONTINUOUS	OR GIRDER	72.2
15SR0090023	COCKE	SR009	21.56	FRENCH BROAD RV & SOU RW	OPEN	8/3/2011	1928	35.921700	-82.959483	CONCRETE	ARCH - DECK	36.4
15SR0320001	COCKE	SR032	9.84	COSBY CREEK	OPEN	8/24/2011	1931	35.783900	-83.218983	CONCRETE	TEE BEAM	57.0
15SR0320011	COCKE	SR032	31.08	FRENCH BROAD RIVER	OPEN	8/8/2011	1934	36.042817	-83.256300	STEEL CONTINUOUS	TRUSS - THRU	27.9
17S80290021	CROCKETT	SR188	12.00	OVERFLOW	OPEN	10/4/2010	1975	35.962972	-89.137333	CONCRETE	CHANNEL BEAM	43.9
						2/22/2010				STEEL	STRINGER/MULTI-BEAM	
180A1530003	CUMBERLAND	0A153	15.07	DADDY'S CREEK (CWMA)	WEIGHT POSTED		1950	36.059733	-84.792317	STEEL	OR GIRDER	15.9
18SR0010007	CUMBERLAND	SR001	21.96	DADDYS CREEK	OPEN	3/30/2010	1927	35.918333	-84.920000	CONCRETE	TEE BEAM	40.1
19I00400143	DAVIDSON	01004	1.94	NEW HOPE ROAD / I40	OPEN	2/3/2010	1964	36.169333	-86.585367	CONCRETE CONTINUOUS	TEE BEAM	52.8
19I00650141	DAVIDSON	03262	1.77	3RD AVENUE N / I65	OPEN	2/12/2010	1969	36.187683	-86.794217	STEEL CONTINUOUS	STRINGER/MULTI-BEAM	68.9
						2/25/2011				STEEL CONTINUOUS	OR GIRDER	
19032520015	DAVIDSON	04915	0.77	CLEVELAND ST/ELLINGTON P	OPEN	2/25/2011	1965	36.184800	-86.759533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM	61.2
						10/9/2009				STEEL CONTINUOUS	OR GIRDER	
19I00240071	DAVIDSON	I0024	8.51	I24 RL / OLD HICKORY BLV	OPEN	10/9/2009	1972	36.276667	-86.800000	STEEL CONTINUOUS	STRINGER/MULTI-BEAM	70.0
19I00240081	DAVIDSON	I0024	11.86	I24 RL / EWING DRIVE	OPEN	10/26/2009	1972	36.231667	-86.783333	STEEL CONTINUOUS	OR GIRDER	62.6
19I00240115	DAVIDSON	I0024	14.73	I24 / WOODLAND STREET	OPEN	11/2/2009	1961	36.170000	-86.766667	PRESTRESSED	STRINGER/MULTI-BEAM	76.8
						1/14/2010				CONCRETE	OR GIRDER	
19I00400067	DAVIDSON	I0040	17.11	I40 / CHARLOTTE AVE	OPEN	1/14/2010	1967	36.160000	-86.793333	STEEL CONTINUOUS	FRAME (EXCEPT FRAME	77.9
						1/26/2010				STEEL	CULVERTS)	
19I00240067	DAVIDSON	I0040	21.58	I40 STR 5B / I24	OPEN	1/26/2010	1960	36.138333	-86.728333	STEEL	STRINGER/MULTI-BEAM	67.0
						2/12/2010				STEEL CONTINUOUS	OR GIRDER	
19I00650145	DAVIDSON	I0065	10.24	CUMBERLAND RV & COWAN ST	OPEN	2/12/2010	1967	36.191333	-86.784533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM	49.5
						2/17/2011				CONCRETE CONTINUOUS	OR GIRDER	
19SR0010015	DAVIDSON	SR001	12.95	SUGAR TREE CREEK	OPEN	2/17/2011	1923	36.122833	-86.850250	CONCRETE CONTINUOUS	CULVERT (INCLUDES	48.5
						2/18/2011				CONCRETE	FRAME CULVERTS)	
19SR0010017	DAVIDSON	SR001	13.81	BRANCH	OPEN	2/18/2011	1923	36.130183	-86.837517	CONCRETE	CULVERT (INCLUDES	49.5
						2/18/2011				STEEL	FRAME CULVERTS)	
19SR0010019	DAVIDSON	SR001	17.29	BRDWY /11TH AVE S &CSX R	OPEN	2/18/2011	1946	36.155000	-86.786667	STEEL	STRINGER/MULTI-BEAM	48.0
						3/3/2011				STEEL CONTINUOUS	OR GIRDER	
19SR0060047	DAVIDSON	SR006	15.80	BP-BR#2-WB/BRIAR-RAMP-A	OPEN	3/3/2011	2004	36.239883	-86.743133	STEEL CONTINUOUS	STRINGER/MULTI-BEAM	64.2
19SR0060022	DAVIDSON	SR006	19.44	SR 6 LL / CSX RR	OPEN	3/4/2011	1926	36.275200	-86.709883	CONCRETE	OR GIRDER	48.2
						3/4/2011				STEEL CONTINUOUS	STRINGER/MULTI-BEAM	
19SR0060021	DAVIDSON	SR006	19.48	SR 6 RL / CSX RR	OPEN	3/4/2011	1955	36.275000	-86.710000	STEEL CONTINUOUS	OR GIRDER	23.0
19SR0110029	DAVIDSON	SR011	22.09	DRY CREEK	OPEN	3/16/2011	1928	36.296850	-86.724533	CONCRETE	TEE BEAM	30.9
19SR0110035	DAVIDSON	SR011	25.16	MANSKER CREEK	OPEN	3/16/2011	1932	36.338633	-86.717650	STEEL CONTINUOUS	STRINGER/MULTI-BEAM	33.5
						3/18/2011				CONCRETE	OR GIRDER	
19SR0240011	DAVIDSON	SR024	14.74	BROWN CREEK	OPEN	3/18/2011	1924	36.154483	-86.742933	CONCRETE	TEE BEAM	39.0
19SR0240013	DAVIDSON	SR024	15.93	CSX RAILROAD	OPEN	3/18/2011	1924	36.153717	-86.722183	CONCRETE	CULVERT (INCLUDES	30.5
						3/23/2011				STEEL	FRAME CULVERTS)	
19SR0650005	DAVIDSON	SR065	6.05	EARTHMAN FORK CREEK	OPEN	3/23/2011	1932	36.265167	-86.830767	STEEL	STRINGER/MULTI-BEAM	35.9
						3/24/2011				CONCRETE	OR GIRDER	
19SR1000009	DAVIDSON	SR100	5.36	PRITCHETT CREEK	OPEN	3/24/2011	1930	36.040000	-86.961667	CONCRETE	CULVERT (INCLUDES	47.3
19SR1000013	DAVIDSON	SR100	7.36	HARPETH RIVER	OPEN	4/6/2011	1929	36.053933	-86.929650	STEEL	FRAME CULVERTS)	49.5
										STEEL	TRUSS - THRU	

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
STATE MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
19I00400029	DAVIDSON	SR155	27.54	WHITE BRIDGE ROAD / I40	OPEN	12/4/2009	1963	36.152617	-86.857783	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	48.0
19S61530001	DAVIDSON	SR254	2.54	OTTER CREEK	OPEN	4/28/2011	1950	36.048450	-86.866783	CONCRETE	TEE BEAM	30.5
21SR0260021	DEKALB	SR026	24.58	CANEY FORK RV&NFA A199	WEIGHT POSTED	1/25/2010	1948	35.965000	-85.718333	STEEL	TRUSS - THRU	18.3
21SR0560007	DEKALB	SR056	15.40	CANEY FORK RIVER	WEIGHT POSTED	8/22/2011	1949	36.028333	-85.741667	STEEL CONTINUOUS	TRUSS - DECK	52.1
22I00400019	DICKSON	I0040	16.53	TURNBULL CREEK	OPEN	5/3/2010	1963	36.029883	-87.210117	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	65.2
22I00400020	DICKSON	I0040	16.53	TURNBULL CREEK	OPEN	5/3/2010	1963	36.030017	-87.210233	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	65.2
22SR0010001	DICKSON	SR001	4.17	PINEY CREEK	OPEN	6/15/2010	1924	36.089050	-87.472467	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.3
22I00400001	DICKSON	SR048	0.21	SR 48 / I40	OPEN	6/24/2010	1963	35.988633	-87.487950	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	57.9
23S82030015	DYER	C0000	0.10	COON CREEK	CLOSED	11/23/2010	1960	36.088556	-89.496278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	10.2
23SR0200001	DYER	SR104	4.89	BRANCH	OPEN	6/23/2010	1920	36.059444	-89.591167	CONCRETE	CHANNEL BEAM	52.1
23SR0200017	DYER	SR104	14.49	BRANCH	OPEN	6/23/2010	1920	36.036083	-89.426361	CONCRETE	ARCH - DECK	30.5
23002270001	DYER	SR211	5.25	BRANCH	OPEN	6/28/2010	1923	36.077611	-89.326278	CONCRETE	TEE BEAM	37.0
23002270003	DYER	SR211	5.67	BRANCH	OPEN	6/28/2010	1923	36.081694	-89.320583	CONCRETE	TEE BEAM	32.9
24SR0760001	FAYETTE	SR076	0.55	OVERFLOW	OPEN	11/19/2010	1931	35.068083	-89.394083	CONCRETE	CHANNEL BEAM	34.9
24SR0760003	FAYETTE	SR076	0.74	NORTH FORK WOLF RIVER	OPEN	12/3/2010	1969	35.070778	-89.394056	CONCRETE	CHANNEL BEAM	34.9
24SR0760005	FAYETTE	SR076	0.93	OVERFLOW	OPEN	12/2/2010	1969	35.073472	-89.393694	CONCRETE	CHANNEL BEAM	32.9
24SR0760007	FAYETTE	SR076	2.04	BRANCH	OPEN	11/30/2010	1969	35.089361	-89.389889	CONCRETE	CHANNEL BEAM	40.4
24014580001	FAYETTE	SR193	4.86	ALEXANDER CREEK	OPEN	12/1/2010	1965	35.146250	-89.555083	CONCRETE	CHANNEL BEAM	48.4
24014580003	FAYETTE	SR193	7.72	BRANCH	OPEN	12/1/2010	1965	35.148361	-89.505167	CONCRETE	CHANNEL BEAM	44.1
24S80780003	FAYETTE	SR194	0.81	WOLF RIVER	OPEN	12/6/2010	1959	35.053139	-89.541222	CONCRETE	TEE BEAM	35.1
24S80780005	FAYETTE	SR194	1.06	OVERFLOW	OPEN	12/6/2010	1959	35.056222	-89.540083	CONCRETE	CHANNEL BEAM	33.3
24S80780007	FAYETTE	SR194	1.18	OVERFLOW	OPEN	12/6/2010	1959	35.058278	-89.539944	CONCRETE	CHANNEL BEAM	33.3
24S80780019	FAYETTE	SR194	19.63	LOOSAHATCHIE RIVER	OPEN	12/2/2010	1959	35.293556	-89.506389	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	40.0
24S80780021	FAYETTE	SR194	19.74	BRANCH	OPEN	12/2/2010	1959	35.295333	-89.506667	CONCRETE	CHANNEL BEAM	40.0
24S80780025	FAYETTE	SR194	21.70	BRANCH	OPEN	12/2/2010	1959	35.314333	-89.483417	CONCRETE	CHANNEL BEAM	15.4
24S81090043	FAYETTE	SR196	6.80	SHAW CREEK	OPEN	12/8/2010	1982	35.082083	-89.596722	CONCRETE	CHANNEL BEAM	37.1
24S81090003	FAYETTE	SR196	7.11	OVERFLOW	OPEN	12/8/2010	1982	35.086556	-89.597389	CONCRETE	CHANNEL BEAM	30.4
24SR3850011	FAYETTE	SR385	0.95	SR-385 / NORFORK S. RR	OPEN	12/15/2010	2005	35.043000	-89.637833	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	73.0
24SR3850012	FAYETTE	SR385	0.95	SR-385 / NORFORK S. RR	OPEN	12/10/2010	2005	35.042900	-89.638117	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	72.0
25SR0520003	FENTRESS	SR052	5.23	EAST FORK OBEY RIVER	OPEN	7/14/2010	1951	36.413333	-85.026667	CONCRETE	TEE BEAM	39.6
25SR0520005	FENTRESS	SR052	7.47	BRANHAM HOLLOW BRANCH	OPEN	7/15/2010	1946	36.435000	-85.006667	CONCRETE	TEE BEAM	34.5
27SR0540013	GIBSON	SR054	10.18	CAIN CREEK	OPEN	2/24/2010	1992	35.965444	-88.954444	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	45.5
27SR0770015	GIBSON	SR077	9.57	OVERFLOW	OPEN	3/2/2010	1983	35.966944	-88.922806	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.8
27SR1040007	GIBSON	SR104	7.23	BRANCH	OPEN	3/4/2010	1978	35.991667	-89.055889	CONCRETE	CHANNEL BEAM	42.7
27SR1520025	GIBSON	SR152	15.22	DRY BRANCH	OPEN	3/3/2010	1991	35.794417	-88.727194	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	45.3
27S80290001	GIBSON	SR188	0.08	OVERFLOW	OPEN	3/3/2010	1960	35.963667	-89.136000	CONCRETE	CHANNEL BEAM	48.3
27S80290003	GIBSON	SR188	0.11	OVERFLOW	OPEN	3/3/2010	1975	35.963722	-89.135500	CONCRETE	CHANNEL BEAM	44.0
27S80290005	GIBSON	SR188	0.25	OVERFLOW	OPEN	3/4/2010	1975	35.966139	-89.133111	CONCRETE	CHANNEL BEAM	44.0
27S80080007	GIBSON	SR445	6.01	SOUTH FORK OBION RIVER	OPEN	3/5/2010	1965	36.183583	-88.916833	CONCRETE	CHANNEL BEAM	50.4

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
STATE MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
30E00370005	GREENE	SR350	5.15	RICHLAND CREEK	OPEN	1/28/2010	1955	36.155483	-82.826583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	24.9
32I00810005	HAMBLEN	SR032	0.26	SR 32 RL / I81	OPEN	3/8/2010	1967	36.136533	-83.280200	CONCRETE CONTINUOUS	TEE BEAM	38.1
33I00240053	HAMILTON	04148	3.27	S. SEMINOLE DR. / I-24	OPEN	10/13/2010	1963	35.020000	-85.260000	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.4
33I00240015	HAMILTON	I0024	7.52	I24 EB/I24EB RP TO I124N	OPEN	10/13/2010	1990	35.032050	-85.319450	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	95.0
33I00750009	HAMILTON	I0075	1.17	BIG SPRING CREEK	OPEN	7/1/2010	1959	35.001183	-85.210733	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	89.1
33I01240011	HAMILTON	I0124	1.08	W.12TH ST (NFA 410)	OPEN	8/10/2010	1963	35.041667	-85.316683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.0
33FA0271008	HAMILTON	SR029	1.54	E.ELMWOOD & RR (A029)	OPEN	1/4/2011	1958	35.076433	-85.321600	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	64.3
33FA0271007	HAMILTON	SR029	1.54	E.ELMWOOD & RR (A029)	OPEN	1/4/2011	1958	35.076500	-85.321483	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.7
33FA0271010	HAMILTON	SR029	1.65	SR-8 RAMP	OPEN	12/22/2010	1958	35.077917	-85.321750	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.9
33FA0271009	HAMILTON	SR029	1.68	SR8 SB RP TO SR29	OPEN	12/22/2010	1958	35.078067	-85.321567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.9
33SR0600001	HAMILTON	SR060	0.44	BRANCH	OPEN	3/14/2011	1950	35.304233	-84.963250	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.5
34SR0700001	HANCOCK	SR070	1.65	CLINCH RIVER	WEIGHT POSTED	9/15/2010	1928	36.569083	-83.040733	STEEL	TRUSS - THRU	6.0
35SR0150025	HARDEMAN	SR015	22.65	DOG TAIL CREEK	CLOSED	10/26/2010	1928	35.225033	-88.838100	CONCRETE	TEE BEAM	2.0
35SR0150027	HARDEMAN	SR015	23.43	WADE CREEK	CLOSED	10/26/2010	1930	35.224306	-88.825167	CONCRETE	TEE BEAM	3.9
35SR0150029	HARDEMAN	SR015	25.70	FISH BRANCH	CLOSED	10/26/2010	1930	35.218972	-88.785639	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	26.0
35SR0180023	HARDEMAN	SR018	29.89	CYPRESS CREEK	OPEN	10/27/2010	1931	35.413667	-88.883639	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.5
35SR0570021	HARDEMAN	SR057	20.32	BIG MUDDY CREEK	OPEN	11/1/2010	1944	35.045583	-88.844250	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.7
35SR0570023	HARDEMAN	SR057	20.59	OVERFLOW	OPEN	11/1/2010	1944	35.045944	-88.839444	CONCRETE	CHANNEL BEAM	30.1
35SR1000003	HARDEMAN	SR100	4.34	BRANCH	OPEN	10/28/2010	1961	35.329306	-89.085722	CONCRETE	TEE BEAM	74.9
36SR0690035	HARDIN	SR069	10.06	DOE CREEK	OPEN	8/19/2010	1944	35.387222	-88.197417	STEEL	TRUSS - THRU	42.6
37SR0010004	HAWKINS	SR001	3.53	POOR VALLEY CREEK	OPEN	9/13/2010	1984	36.345700	-83.204217	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	69.2
37SR0010027	HAWKINS	SR001	33.23	HORD CREEK	OPEN	8/18/2010	1968	36.519283	-82.745083	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	44.7
37SR0010038	HAWKINS	SR001	41.30	NORTH FORK HOLSTON RIVER	OPEN	9/1/2010	1962	36.553983	-82.615967	CONCRETE CONTINUOUS	TEE BEAM	55.0
37SR0310005	HAWKINS	SR031	2.34	POOR VALLEY CREEK	OPEN	8/30/2010	1945	36.369900	-83.221433	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	44.7
37SR0310007	HAWKINS	SR031	4.17	POOR VALLEY CREEK	OPEN	8/11/2010	1958	36.392017	-83.215950	CONCRETE	TEE BEAM	30.5
37SR0660005	HAWKINS	SR066	10.19	HOLSTON RIVER	OPEN	8/31/2010	1958	36.372717	-83.013167	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	36.9
37SR0700013	HAWKINS	SR070	8.91	CANEY CREEK	OPEN	9/14/2010	1971	36.447867	-82.988200	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	55.4
37SR1130001	HAWKINS	SR113	6.70	ROBERTSON CREEK	OPEN	8/16/2010	1975	36.340483	-83.040750	CONCRETE	CHANNEL BEAM	31.7
37013620005	HAWKINS	SR346	3.90	SURGOINSVILLE CREEK	OPEN	8/18/2010	1923	36.471050	-82.851517	CONCRETE	SLAB	73.2
38SR0010001	HAYWOOD	SR001	2.13	MUDDY CREEK	OPEN	3/29/2010	1926	35.450528	-89.438806	CONCRETE	TEE BEAM	48.0
38SR0010003	HAYWOOD	SR001	2.89	BRANCH	OPEN	3/29/2010	1926	35.455139	-89.426722	CONCRETE	TEE BEAM	46.1
38SR0010019	HAYWOOD	SR001	8.15	OVERFLOW	OPEN	3/30/2010	1924	35.506694	-89.360889	CONCRETE	TEE BEAM	50.0
38SR0010021	HAYWOOD	SR001	8.41	OVERFLOW	OPEN	3/30/2010	1924	35.509917	-89.358389	CONCRETE	TEE BEAM	47.1
38SR0010023	HAYWOOD	SR001	8.84	OVERFLOW	OPEN	3/30/2010	1924	35.537889	-89.337639	CONCRETE	TEE BEAM	47.1

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
STATE MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
38SR0010025	HAYWOOD	SR001	9.11	BRADFORD LAKE	OPEN	3/30/2010	1924	35.518333	-89.351306	CONCRETE	TEE BEAM	45.8
38SR0760027	HAYWOOD	SR076	8.98	HATCHIE RIVER	OPEN	4/29/2010	1949	35.522389	-89.253722	STEEL	TRUSS - THRU	28.9
38SR0760039	HAYWOOD	SR076	21.59	MUD CREEK	OPEN	4/7/2010	1934	35.677639	-89.132667	CONCRETE	TEE BEAM	35.9
38SR0760041	HAYWOOD	SR076	21.98	OVERFLOW	OPEN	4/8/2010	1934	35.681528	-89.127361	CONCRETE	TEE BEAM	36.9
38SR0760047	HAYWOOD	SR076	23.21	S. FORK FORKED DEER RIVE	OPEN	4/12/2010	1934	35.692694	-89.110556	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	35.9
38S80460001	HAYWOOD	SR087	3.61	LAGOON CREEK	OPEN	4/12/2010	1960	35.630944	-89.410944	CONCRETE	CHANNEL BEAM	48.5
38S80520001	HAYWOOD	SR179	1.09	OVERFLOW	OPEN	4/13/2010	1959	35.476694	-89.455111	CONCRETE	CHANNEL BEAM	50.2
38S80520003	HAYWOOD	SR179	1.24	LITTLE MUDDY CREEK	OPEN	4/13/2010	1959	35.477611	-89.452861	CONCRETE	CHANNEL BEAM	48.9
38S80540005	HAYWOOD	SR179	18.14	OVERFLOW	OPEN	4/13/2010	1951	35.423944	-89.209889	CONCRETE	TEE BEAM	37.1
38S80510007	HAYWOOD	SR180	4.57	OVERFLOW	OPEN	4/12/2010	1960	35.751639	-89.393472	CONCRETE	CHANNEL BEAM	49.3
39SR0200025	HENDERSON	SR020	21.48	BROWN CREEK	OPEN	10/7/2010	1932	35.639472	-88.248278	CONCRETE	TEE BEAM	34.9
39SR0200027	HENDERSON	SR020	21.62	OVERFLOW	OPEN	10/11/2010	1932	35.639806	-88.246028	CONCRETE	TEE BEAM	30.2
39SR0200029	HENDERSON	SR020	24.20	BIG CREEK	OPEN	10/11/2010	1932	35.635806	-88.201556	CONCRETE	TEE BEAM	24.4
39SR0200031	HENDERSON	SR020	24.41	OVERFLOW	OPEN	10/11/2010	1932	35.636639	-88.198194	CONCRETE	TEE BEAM	34.9
39S80610003	HENDERSON	SR200	0.62	MIDDLE FORK CREEK	OPEN	10/13/2010	1970	35.569111	-88.545278	CONCRETE	CHANNEL BEAM	49.3
41SR0500009	HICKMAN	SR050	14.04	DUCK RIVER	OPEN	6/8/2011	1951	35.783833	-87.525717	STEEL	TRUSS - THRU	20.2
41SR0500019	HICKMAN	SR050	20.63	SWAN CREEK	OPEN	4/14/2011	1949	35.756283	-87.416450	CONCRETE	TEE BEAM	23.9
42SR0490009	HOUSTON	SR049	13.49	SALMON CREEK	OPEN	1/12/2010	1932	36.266400	-87.562217	CONCRETE	TEE BEAM	55.9
43SR0130009	HUMPHREYS	SR013	3.54	BLACK BRANCH	OPEN	6/11/2010	1949	35.881367	-87.800550	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.7
43S62220007	HUMPHREYS	SR230	8.17	HURRICANE CREEK	OPEN	6/9/2010	1959	36.001200	-87.732483	CONCRETE	TEE BEAM	47.2
43S62220005	HUMPHREYS	SR230	8.33	HURRICANE CREEK	OPEN	6/9/2010	1958	36.001983	-87.735233	CONCRETE	TEE BEAM	28.7
44SR0560017	JACKSON	SR056	20.95	NORTH FORK BRANCH	OPEN	3/29/2011	1951	36.465000	-85.715000	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.8
44S43900003	JACKSON	SR135	17.62	KEELING BRANCH	OPEN	3/21/2011	1970	36.465000	-85.676667	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	56.8
45I00400039	JEFFERSON	I0040	11.68	RAMP FROM I81 LT LN	OPEN	7/13/2010	1961	36.067800	-83.386583	CONCRETE CONTINUOUS	TEE BEAM	56.1
45I00400019	JEFFERSON	I0040	14.68	FRENCH BROAD RIVER	OPEN	7/7/2010	1960	36.043000	-83.339317	STEEL CONTINUOUS	TRUSS - DECK	62.9
45SR0340011	JEFFERSON	SR034	14.97	SR 34 LF LN / SOU RR	OPEN	11/3/2009	1953	36.140167	-83.448733	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.8
45SR0340013	JEFFERSON	SR034	14.98	SR 34 RT LN / SOU RR	OPEN	11/3/2009	1953	36.140183	-83.448400	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53.8
45S25620001	JEFFERSON	SR363	2.75	INDIAN CREEK	OPEN	10/8/2009	1942	35.982117	-83.334750	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	33.3
46SR0340013	JOHNSON	SR034	19.96	ROAN CREEK	OPEN	11/22/2010	1956	36.400000	-81.756667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	43.0
46SR0340017	JOHNSON	SR034	21.40	ROAN CREEK	OPEN	11/22/2010	1956	36.200000	-81.758333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.6
46SR0670007	JOHNSON	SR067	5.62	DOE CREEK	OPEN	11/15/2010	1931	36.393800	-81.968333	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	18.8
46SR0670013	JOHNSON	SR067	16.81	GOOSE CREEK	OPEN	9/13/2011	1931	36.476150	-81.811667	CONCRETE	TEE BEAM	24.4
46SR1330001	JOHNSON	SR133	2.76	BEAVERDAM CREEK	OPEN	11/8/2010	1956	36.543417	-81.895700	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.7
47I02750011	KNOX	03789	1.43	RL-HEISKELL AVE. / I275	OPEN	1/15/2011	1959	35.991267	-83.951667	CONCRETE	TEE BEAM	57.8
47SR0330011	KNOX	SR033	6.68	TENNESSEE RIVER & 2 RTS	OPEN	4/12/2010	1930	35.958867	-83.919883	CONCRETE	ARCH - DECK	26.5
47S24060001	KNOX	SR332	1.87	SOUTHERN RAILWAY	OPEN	4/28/2010	1942	35.861717	-84.141800	CONCRETE	TEE BEAM	33.9
480A2000001	LAKE	0A200	0.00	SLOUGH OF REELFOOT LAKE	OPEN	10/5/2010	1983	36.352778	-89.406222	CONCRETE	SLAB	49.5
48SR0210001	LAKE	SR021	1.20	BRANCH	OPEN	10/5/2010	1916	36.369056	-89.487861	CONCRETE	CHANNEL BEAM	43.9
48SR0210003	LAKE	SR021	7.61	REELFOOT LAKE SPILLWAY	OPEN	10/5/2010	1930	36.352306	-89.405750	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	41.0
48SR0780011	LAKE	SR078	16.51	DRAINAGE DITCH	OPEN	10/6/2010	1928	36.447861	-89.408778	CONCRETE	CHANNEL BEAM	49.7
49SR0870017	LAUDERDALE	SR087	6.42	BRANCH	OPEN	7/12/2010	1925	35.645389	-89.788083	CONCRETE	CHANNEL BEAM	47.4

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
STATE MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
49SR0870025	LAUDERDALE	SR087	11.75	BRANCH	OPEN	7/12/2010	1986	35.680611	-89.706389	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.3
50SR0150001	LAWRENCE	SR015	14.63	CROWSON CREEK	OPEN	4/21/2011	1955	35.241667	-87.358333	CONCRETE	TEE BEAM	50.0
50SR0150003	LAWRENCE	SR015	14.87	SHOAL CREEK	OPEN	4/21/2011	1955	35.241667	-87.353333	CONCRETE	TEE BEAM	42.5
50S62030009	LAWRENCE	SR242	7.93	FACTORY CREEK	OPEN	9/1/2011	1958	35.120000	-87.546667	CONCRETE	TEE BEAM	65.7
50S62030015	LAWRENCE	SR242	12.02	KNOB CREEK	OPEN	9/1/2011	1955	35.138333	-87.486667	CONCRETE	TEE BEAM	59.2
51SR0480009	LEWIS	SR048	12.52	BLONDY HOLLOW BRANCH	OPEN	3/26/2010	1937	35.573833	-87.551333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	45.9
52S62400003	LINCOLN	SR275	4.33	OVERFLOW	OPEN	10/28/2009	1940	35.012500	-86.505483	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	63.7
53I00400005	LOUDON	I0040	0.57	SR 73	OPEN	10/18/2010	1960	35.874767	-84.324550	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.9
53SR0950003	LOUDON	SR073	7.51	SOUTHERN RAILWAY	OPEN	2/16/2011	1962	35.795183	-84.254517	CONCRETE	TEE BEAM	26.2
56SR1510005	MACON	SR151	2.47	SALT LICK CREEK	WEIGHT POSTED	8/8/2011	1940	36.531117	-85.849083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.8
57I00400027	MADISON	I0040	14.73	SR 5	OPEN	8/24/2011	1961	35.670500	-88.830083	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	59.1
57SR0180001	MADISON	SR018	4.70	MERIDIAN CREEK	OPEN	8/29/2011	1930	35.490333	-88.844917	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	26.2
57SR0200007	MADISON	SR020	8.08	BRANCH	OPEN	8/30/2011	1929	35.650167	-88.869917	CONCRETE	TEE BEAM	39.0
57SR1380001	MADISON	SR138	1.15	MUDDY CREEK	OPEN	8/31/2011	1978	35.446472	-89.021972	CONCRETE	CHANNEL BEAM	48.2
57S81620009	MADISON	SR197	8.56	BRANCH	OPEN	8/31/2011	1991	35.571472	-88.642222	CONCRETE	CHANNEL BEAM	47.0
57S81620011	MADISON	SR197	8.66	BRANCH	OPEN	8/31/2011	1990	35.571361	-88.640611	CONCRETE	CHANNEL BEAM	45.9
58I00240059	MARION	0A261	0.07	NFA A261 / I24	OPEN	8/18/2010	1965	34.987950	-85.498017	CONCRETE CONTINUOUS	TEE BEAM	42.0
58SR0020023	MARION	SR002	21.14	TENNESSEE RIVER	OPEN	10/7/2010	1929	35.028833	-85.548333	STEEL	TRUSS - THRU	26.0
58SR1560013	MARION	SR156	25.58	RUNNING WATER CREEK	OPEN	10/21/2010	1968	35.018917	-85.538150	CONCRETE	TEE BEAM	64.6
58005390001	MARION	SR283	3.06	KELLY BRANCH	OPEN	10/20/2010	1970	35.195083	-85.483800	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	46.3
59SR0110015	MARSHALL	SR011	8.73	BRANCH	OPEN	9/15/2010	1948	35.410000	-86.803333	CONCRETE	TEE BEAM	36.0
59SR1060007	MARSHALL	SR106	1.90	DUCK RIVER	WEIGHT POSTED	11/10/2010	1952	35.606667	-86.821667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	13.1
60I00650005	MAURY	SR050	26.75	SR 50 / I65	OPEN	9/3/2010	1963	35.518950	-86.898483	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	45.9
60S62010003	MAURY	SR245	9.92	LITTLE BIGBY CREEK	OPEN	10/12/2010	1955	35.573800	-87.071450	CONCRETE	ARCH - DECK	42.1
60S62540003	MAURY	SR247	2.50	TURKEY CREEK	WEIGHT POSTED	9/15/2010	1950	35.702083	-87.181183	CONCRETE	ARCH - DECK	15.7
55SR0150001	McNAIRY	SR015	2.88	WOODVILLE CREEK	OPEN	11/18/2010	1927	35.211833	-88.733167	CONCRETE	CHANNEL BEAM	35.4
55SR0150003	McNAIRY	SR015	3.02	BRANCH	OPEN	11/18/2010	1945	35.211444	-88.730389	CONCRETE	CHANNEL BEAM	35.4
55SR0150007	McNAIRY	SR015	4.33	ROSE CREEK	CLOSED	12/14/2010	1955	35.206667	-88.708333	CONCRETE	CHANNEL BEAM	11.5
55SR0050009	McNAIRY	SR015	12.44	CROOKED CREEK	OPEN	11/19/2010	1928	35.159333	-88.580861	CONCRETE	TEE BEAM	55.8
55SR0220011	McNAIRY	SR022	8.88	SAM BISHOP DITCH	OPEN	12/2/2010	1958	35.359056	-88.366889	CONCRETE	TEE BEAM	67.0
55SR0220013	McNAIRY	SR022	9.09	WHITE OAK CREEK	OPEN	12/6/2010	1958	35.362139	-88.366139	CONCRETE	TEE BEAM	38.0
55SR0220015	McNAIRY	SR022	9.35	N. FORK WHITE OAK CREEK	OPEN	12/7/2010	1958	35.365861	-88.365889	CONCRETE	TEE BEAM	55.1
55SR0570005	McNAIRY	SR057	8.25	CYPRESS CREEK	OPEN	12/3/2010	1937	35.066083	-88.655694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	32.5
55SR0570007	McNAIRY	SR057	8.50	OVERFLOW	OPEN	12/3/2010	1939	35.065806	-88.651361	CONCRETE	CHANNEL BEAM	33.5
55SR0570009	McNAIRY	SR057	8.85	BRANCH	OPEN	12/6/2010	1939	35.065361	-88.645278	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	33.5
55S80850005	McNAIRY	SR224	4.99	OWL CREEK	WEIGHT POSTED	12/9/2010	1950	35.121694	-88.423222	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	52.2
55S80850009	McNAIRY	SR224	10.61	GRAHAM CREEK	OPEN	12/13/2010	1950	35.197639	-88.412444	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	47.0
61SR0600001	MEIGS	SR060	3.10	TENNESSEE RIVER	OPEN	5/19/2011	1995	35.406467	-85.017067	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	52.8

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
STATE MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
63SR0120003	MONTGOMERY	SR012	4.04	LITTLE MCADOO CREEK	OPEN	11/9/2010	1958	36.460083	-87.238567	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	55.3
63SR0130015	MONTGOMERY	SR013	21.57	RED RIVER	WEIGHT POSTED	11/19/2010	1931	36.541900	-87.336933	STEEL	TRUSS - THRU	29.3
650A1530005	MORGAN	0A153	5.89	ISLAND CREEK (CWMA)	OPEN	5/16/2011	1953	36.029983	-84.720517	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	42.2
650A4090005	MORGAN	0A409	10.27	ISLAND CREEK (CWMA)	WEIGHT POSTED	5/16/2011	1965	36.053017	-84.666867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	12.2
650A2640001	MORGAN	0A413	0.01	FLAT FORK CREEK (FHSP)	WEIGHT POSTED	5/16/2011	1935	36.130967	-84.497917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.5
65SR0290031	MORGAN	SR029	23.04	WHITE OAK CREEK	OPEN	5/19/2011	1927	36.244033	-84.670150	CONCRETE	TEE BEAM	29.9
65SR1160003	MORGAN	SR116	2.26	STOCKSTILL CREEK	OPEN	5/25/2011	1970	36.097283	-84.445133	CONCRETE	CHANNEL BEAM	47.9
65SR1160005	MORGAN	SR116	2.60	STOCKSTILL CREEK	OPEN	5/25/2011	1970	36.101783	-84.447100	CONCRETE	CHANNEL BEAM	49.8
67005810001	OVERTON	SR136	14.30	MILL CREEK (PARK LAKE)	OPEN	7/25/2011	1934	36.470000	-85.418333	CONCRETE	TEE BEAM	40.7
67F00150003	OVERTON	SR293	3.67	BRANCH	OPEN	7/11/2011	1940	36.275000	-85.401667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.1
68SR0130001	PERRY	SR013	1.73	BUFFALO RIVER	WEIGHT POSTED	3/24/2010	1939	35.487950	-87.834550	STEEL	TRUSS - THRU	8.3
68SR0200009	PERRY	SR020	14.51	COON CREEK	OPEN	1/27/2010	1929	35.634533	-87.804233	CONCRETE	TEE BEAM	47.5
68SR0500005	PERRY	SR438	22.79	CANE CREEK	OPEN	1/26/2010	1968	35.704950	-87.755383	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	49.6
69SR1540001	PICKETT	SR154	1.26	THOMPSON CREEK	OPEN	1/27/2010	1962	36.553333	-84.795000	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	67.3
70SR0330010	POLK	SR040	0.36	SR 33 & CSX RR	OPEN	6/21/2010	1934	35.127067	-84.717500	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	32.4
70SR0400021	POLK	SR040	23.04	BRUSH CREEK	OPEN	5/25/2010	1967	35.035933	-84.436200	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	30.9
70SR0400023	POLK	SR040	24.85	BRANCH & CSX RAILROAD	OPEN	5/25/2010	1967	35.032150	-84.404933	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	27.0
70SR0680013	POLK	SR068	16.39	BRUSH CREEK	OPEN	5/4/2010	1943	35.056200	-84.391633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.3
72SR0290004	RHEA	SR029	5.58	RICHLAND CREEK	OPEN	9/20/2010	1960	35.486667	-85.015000	CONCRETE	TEE BEAM	49.7
73I00400003	ROANE	0A448	1.20	I40	OPEN	10/4/2010	1969	35.912267	-84.595167	CONCRETE CONTINUOUS	TEE BEAM	66.2
73SR0720009	ROANE	SR072	1.98	BRANCH	OPEN	5/4/2011	1965	35.743617	-84.512900	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	64.6
73SR0720005	ROANE	SR072	4.56	STAMP CREEK	OPEN	6/1/2011	1945	35.764483	-84.543417	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	26.0
73SR0950003	ROANE	SR095	8.08	EAST FORK POPLAR CREEK	OPEN	5/12/2011	1946	35.969967	-84.346433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	33.9
74SR0110009	ROBERTSON	SR011	24.58	RED RIVER	OPEN	6/4/2010	1976	36.590017	-87.087917	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.5
74SR0250001	ROBERTSON	SR025	12.71	HONEY RUN CREEK	OPEN	6/7/2010	1925	36.549617	-86.712800	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	14.8
74SR0490005	ROBERTSON	SR049	7.92	CARRS CREEK	OPEN	6/16/2010	1931	36.014900	-86.929283	CONCRETE	TEE BEAM	29.5
74S63430001	ROBERTSON	SR256	5.89	SULPHUR FORK CREEK	OPEN	6/11/2010	1961	36.515333	-87.056717	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	27.1
75SR0010005	RUTHERFORD	SR001	4.76	HARTS BRANCH	OPEN	1/5/2011	1945	35.986167	-86.522333	CONCRETE	TEE BEAM	37.2
75SR0160001	RUTHERFORD	SR016	0.02	NEELEYS CREEK	OPEN	1/20/2011	1943	35.789717	-86.651567	CONCRETE	TEE BEAM	41.0
75SR8400022	RUTHERFORD	SR840	8.76	OVERALL CREEK	OPEN	12/21/2010	1995	35.895867	-86.465167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	77.0
76SR0290021	SCOTT	SR029	22.53	SOUTHERN RAILWAY	OPEN	4/28/2011	1959	36.538050	-84.465033	CONCRETE	TEE BEAM	39.0
76SR0290025	SCOTT	SR029	25.79	PERKINS CREEK	OPEN	4/15/2011	1959	36.578600	-84.440467	CONCRETE	TEE BEAM	39.0
78SR0350011	SEVIER	SR035	10.65	GISTS CREEK	OPEN	9/29/2009	1958	35.859683	-83.624600	CONCRETE	TEE BEAM	48.7
78SR0350012	SEVIER	SR035	10.65	GISTS CREEK	OPEN	9/29/2009	1931	35.859933	-83.624650	CONCRETE	TEE BEAM	49.5

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
STATE MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
78SR0350013	SEVIER	SR035	10.98	GIST CREEK RL	OPEN	9/29/2009	1956	35.861233	-83.619067	CONCRETE	TEE BEAM	36.8
78SR0350014	SEVIER	SR035	10.98	GIST CREEK	OPEN	9/29/2009	1956	35.861367	-83.619067	CONCRETE	TEE BEAM	41.4
78SR0350017	SEVIER	SR035	13.76	W.FK.LITTLE PIGEON RIVER	OPEN	10/1/2009	1933	35.871400	-83.574633	CONCRETE	TEE BEAM	32.2
79I00400121	SHELBY	02278	1.40	DAVIES PLANTATION RD/I40	OPEN	3/17/2011	1962	35.216889	-89.747222	CONCRETE CONTINUOUS	TEE BEAM	30.5
79I00400157	SHELBY	02855	1.77	JEFFERSON AVE / 3 ROUTES	OPEN	3/22/2011	1964	35.142694	-90.023111	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	52.8
79I00400081	SHELBY	04186	2.10	HIGHLAND ST / I40	OPEN	3/15/2011	1972	35.189694	-89.944583	CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	65.1
79I02400115	SHELBY	05155	1.48	SHADY GROVE RD / I240	OPEN	3/28/2011	1963	35.123306	-89.868139	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	39.6
79I00400125	SHELBY	0D958	2.65	CHAMBERS CHAPEL RD / I40	OPEN	3/17/2011	1962	35.243278	-89.700889	CONCRETE CONTINUOUS	TEE BEAM	64.8
79I02400017	SHELBY	0E528	0.36	EASTMORELAND / 3 ROUTES	OPEN	3/23/2011	1968	35.136000	-90.024556	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	83.9
790A0210003	SHELBY	0SSF3	2.90	BRANCH (MSFSP&WMA)	OPEN	5/19/2011	1977	35.325056	-90.050194	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	61.0
79I00400102	SHELBY	I0040	14.13	I40 LL / I40	OPEN	3/16/2011	1960	35.152611	-89.884000	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	29.7
79I00400101	SHELBY	I0040	14.13	I40 RL / SAM COOPER BLVD	OPEN	3/16/2011	1962	35.151500	-89.885250	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	69.6
79I00400139	SHELBY	I0040	28.93	HALL CREEK	OPEN	3/21/2011	1999	35.263833	-89.662694	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	68.9
79I00550031	SHELBY	I0055	5.25	NONCONNAH CREEK	OPEN	6/30/2011	1962	35.065333	-90.024194	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	84.6
79I00550032	SHELBY	I0055	5.36	NONCONNAH CREEK	OPEN	6/30/2011	1962	35.066972	-90.027028	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	87.9
79I02400045	SHELBY	I0240	3.09	I-240EB / KERR AVE	OPEN	3/28/2011	1963	35.107250	-90.029444	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	63.5
79I02400046	SHELBY	I0240	3.09	I-240 WB / KERR AVE	OPEN	3/28/2011	1963	35.107194	-90.029167	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	63.5
79I02400085	SHELBY	I0240	9.25	I-240 EB / BNSF RWY	OPEN	3/30/2011	1963	35.077972	-89.961889	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	49.5
79SR0830017	SHELBY	SR001	6.06	LICK CREEK	OPEN	3/31/2011	1956	35.151972	-89.992333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	43.0
79SR0010039	SHELBY	SR001	30.36	LOOSAHATCHIE RIVER	OPEN	6/27/2011	1925	35.310528	-89.639639	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	31.2
79SR0030025	SHELBY	SR003	15.25	WOLF RIVER	OPEN	6/29/2011	1935	35.188722	-90.035111	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.9
79SR0140006	SHELBY	SR014	7.13	IC RR & NONCONNAH CREEK	OPEN	7/5/2011	1929	35.074417	-90.057972	STEEL	TRUSS - THRU	36.2
79SR0140023	SHELBY	SR014	18.27	CSX-CHELSEA AVE-KRUGER R	OPEN	4/7/2011	1940	35.173972	-89.941250	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.2
79SR0140035	SHELBY	SR014	26.74	OVERFLOW	OPEN	4/12/2011	1952	35.273611	-89.857167	CONCRETE	TEE BEAM	46.5
79SR0140037	SHELBY	SR014	26.90	LOOSAHATCHIE RIVER	OPEN	6/28/2011	1952	35.275417	-89.855333	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	30.5
79SR0140039	SHELBY	SR014	27.25	OVERFLOW	OPEN	4/13/2011	1952	35.279194	-89.851472	CONCRETE	TEE BEAM	46.5
79SR0140043	SHELBY	SR014	31.20	CROOKED CREEK	OPEN	4/14/2011	1952	35.323611	-89.807250	CONCRETE	TEE BEAM	53.2
79SR0230003	SHELBY	SR057	1.88	SR 23, CSX & CNIC RR	OPEN	4/13/2011	1928	35.136611	-89.972528	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	32.0
79SR0570003	SHELBY	SR057	8.08	SR57 WB RP TO I240 SB	OPEN	4/13/2011	1959	35.102778	-89.871833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	66.9

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
STATE MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79I02400112	SHELBY	SR057	8.09	I240 & I240 EXIT RAMP	OPEN	4/14/2011	1958	35.104083	-89.869806	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	62.7
79I02400111	SHELBY	SR057	8.18	I240	OPEN	4/14/2011	1960	35.101889	-89.870361	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	63.9
79SR0860003	SHELBY	SR086	3.05	SR 86/S ROWLETT ST & RR	OPEN	4/14/2011	1942	35.043444	-89.681778	CONCRETE	TEE BEAM	34.2
79E02010003	SHELBY	SR176	5.79	NONCONNAH CREEK	OPEN	7/5/2011	1954	35.077056	-89.931306	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.9
790B2930001	SHELBY	SR177	0.40	BRANCH	WEIGHT POSTED	4/18/2011	1957	35.056806	-89.812861	CONCRETE	CHANNEL BEAM	29.8
79S80740003	SHELBY	SR205	2.34	OVERFLOW	OPEN	4/18/2011	1959	35.078528	-89.651806	CONCRETE	CHANNEL BEAM	36.4
79008040053	SHELBY	SR205	17.22	BIG CREEK DRAINAGE DITCH	OPEN	4/19/2011	1966	35.342111	-89.806278	CONCRETE	TEE BEAM	46.1
800A3920001	SMITH	05696	0.05	CUMBERLAND RIVER	CLOSED	7/14/2011	1934	36.246933	-85.956550	STEEL CONTINUOUS	TRUSS - THRU	4.0
80SR0240013	SMITH	SR024	13.38	CANEY FORK RIVER	OPEN	10/20/2009	1932	36.233333	-85.911667	STEEL CONTINUOUS	TRUSS - THRU	30.5
82SR0010041	SULLIVAN	SR001	20.30	BACK CREEK	OPEN	4/7/2011	1960	36.590017	-82.272517	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	35.5
82SR0360004	SULLIVAN	SR036	3.25	CSX RAILROAD	OPEN	5/9/2011	1930	36.479017	-82.494417	CONCRETE	TEE BEAM	28.4
82SR0370021	SULLIVAN	SR037	1.73	INDIAN CREEK	OPEN	4/27/2011	1989	36.200000	-82.263333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	43.0
82F00330001	SULLIVAN	SR044	5.03	BRANCH	OPEN	3/17/2011	1977	36.463400	-82.225183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	50.9
82SR0750001	SULLIVAN	SR075	0.21	SOUTH HOLSTON RIVER	OPEN	5/11/2011	1938	36.447433	-82.443583	STEEL	TRUSS - THRU	31.5
82SR3940013	SULLIVAN	SR394	0.06	REEDY CREEK	OPEN	4/19/2011	1960	36.575933	-82.353983	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	65.3
83SR0250013	SUMNER	SR025	10.89	LIBERTY BRANCH	OPEN	8/20/2010	1954	36.415500	-86.509150	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.5
83E00270011	SUMNER	SR174	39.42	LITTLE TRAMMEL CREEK	OPEN	9/23/2010	1930	36.639700	-86.264433	CONCRETE	TEE BEAM	45.2
86SR0810001	UNICOI	SR107	0.08	NORTH INDIAN CREEK	OPEN	1/24/2011	1987	36.150417	-82.417733	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	49.9
86SR1730005	UNICOI	SR173	0.28	CLINCHFIELD RAILROAD	OPEN	1/24/2011	1985	36.206050	-82.350100	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	90.9
87SR0330007	UNION	SR033	15.69	CLINCH RIVER(NORRIS LAKE	WEIGHT POSTED	9/9/2010	1936	36.200000	-83.743333	STEEL CONTINUOUS	TRUSS - THRU	6.0
87SR1440005	UNION	SR144	3.91	N FORK BULL RUN CREEK	OPEN	9/17/2010	1952	36.214317	-83.831550	CONCRETE	CHANNEL BEAM	36.9
90I00260023	WASHINGTON	I0026	6.81	BOONES CREEK	OPEN	10/19/2009	1969	36.378783	-82.425600	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.1
90I00260021	WASHINGTON	I0026	6.82	SR 354 & BOONES CREEK	OPEN	10/20/2009	1969	36.378233	-82.426533	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	69.2
90SR0340002	WASHINGTON	SR034	1.72	BIG LIMESTONE CREEK	OPEN	1/19/2010	1952	36.200000	-82.615000	CONCRETE	TEE BEAM	38.0
90SR0670009	WASHINGTON	SR067	5.39	LITTLE CHEROKEE CREEK	OPEN	1/14/2010	1956	36.264017	-82.404200	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.5
90SR0810021	WASHINGTON	SR081	16.59	MUDDY CREEK	OPEN	7/28/2011	1930	36.314367	-82.543383	CONCRETE CONTINUOUS	SLAB	27.5
90E00320001	WASHINGTON	SR400	1.46	BRANCH	OPEN	12/1/2009	1950	36.318167	-82.361633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	68.4
91S61940005	WAYNE	SR203	12.03	INDIAN CREEK	OPEN	4/14/2011	1939	35.138833	-87.803250	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.4
92S80130005	WEAKLEY	SR190	30.60	MAYO BRANCH	OPEN	2/17/2011	1950	36.417917	-88.606500	CONCRETE	CHANNEL BEAM	56.7
94I00400001	WILLIAMSON	I0040	0.02	I40 / CO RD	OPEN	2/2/2011	1960	36.023067	-87.187900	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	77.1
94I00650013	WILLIAMSON	I0065	10.99	HARPETH RIVER	OPEN	2/4/2011	1962	35.890183	-86.829317	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	58.3
94I00650014	WILLIAMSON	I0065	10.99	HARPETH RIVER	OPEN	2/4/2011	1962	35.890233	-86.829333	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	59.3
94SR0110001	WILLIAMSON	SR011	0.59	BRANCH	OPEN	2/18/2011	1932	35.715867	-86.697983	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	26.0

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
And its production pursuant to a public
document records request does not
waive the provisions of §409**

**STRUCTURALLY DEFICIENT
STATE MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
94SR0110003	WILLIAMSON	SR011	0.87	BRANCH	OPEN	2/18/2011	1930	35.766300	-86.686983	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	32.5
94SR1060005	WILLIAMSON	SR106	5.09	WEST HARPETH RIVER	WEIGHT POSTED	3/7/2011	1966	35.795783	-86.843283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.8
94FA0061001	WILLIAMSON	SR248	3.46	FIVE MILE CREEK	OPEN	3/14/2011	1961	35.859867	-86.835200	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	34.6
95I00400041	WILSON	01067	7.81	LINWOOD ROAD / I40	OPEN	3/4/2010	1962	36.190983	-86.177250	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	46.6
95SR0240017	WILSON	SR024	20.25	SPRING CREEK	OPEN	3/18/2010	1931	36.221000	-86.238400	CONCRETE	TEE BEAM	32.9
95SR0260019	WILSON	SR026	20.31	EAVENS CREEK	OPEN	3/23/2010	1953	36.085117	-86.060517	CONCRETE	TEE BEAM	40.0
95SR1090009	WILSON	SR109	14.85	CUMBERLAND RIVER	OPEN	6/23/2010	1954	36.337067	-86.436367	STEEL CONTINUOUS	TRUSS - THRU	21.9

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
010A0020001	ANDERSON	0A002	0.61	COW CREEK	WEIGHT POSTED	8/2/2011	1975	36.081867	-84.321983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.9
010A0020003	ANDERSON	0A002	2.41	COW CREEK	WEIGHT POSTED	8/2/2011	1970	36.059333	-84.313200	STEEL	STRINGER/MULTI-BEAM OR GIRDER	17.1
010A0520001	ANDERSON	0A052	1.49	CSX RAILROAD	WEIGHT POSTED	7/21/2011	1914	36.112883	-84.184567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	6.5
010A0670003	ANDERSON	0A067	0.89	CANE CREEK	OPEN	6/30/2011	1982	36.171967	-84.129433	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	57.4
010A2760001	ANDERSON	0A276	0.39	BULL RUN CREEK	OPEN	7/20/2011	1940	36.033150	-84.096667	CONCRETE	TEE BEAM	46.2
010A4840001	ANDERSON	0A484	0.08	FORK COAL CREEK	WEIGHT POSTED	6/30/2011	1965	36.235600	-84.161217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	23.6
020A1220001	BEDFORD	0A122	0.89	FALL CREEK	WEIGHT POSTED	2/16/2011	1940	35.564617	-86.516367	STEEL	STRINGER/MULTI-BEAM OR GIRDER	40.8
020A1700001	BEDFORD	0A170	0.71	STRAIGHT CREEK	OPEN	4/12/2011	1940	35.554633	-86.281783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	58.4
03017530005	BENTON	01753	6.96	SULPHUR CREEK	OPEN	8/9/2010	1971	36.187000	-87.985083	CONCRETE	CHANNEL BEAM	52.1
030A1510001	BENTON	0A151	0.08	LITTLE CROOKED CREEK	WEIGHT POSTED	8/18/2010	1975	36.229389	-87.970556	ALUMINUM, WROUGHT OR CAST IRON	STRINGER/MULTI-BEAM OR GIRDER	32.0
030A1750001	BENTON	0A175	0.10	SOUTH FORK HARMAN CREEK	WEIGHT POSTED	8/16/2010	1975	36.114778	-87.986889	CONCRETE	SLAB	27.9
030A1830001	BENTON	0A183	0.94	BEAVERDAM CREEK	OPEN	8/16/2010	2004	36.109650	-88.047050	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	46.5
030A1970001	BENTON	0A197	0.22	CHARLIE CREEK	OPEN	8/19/2010	1982	36.065444	-88.093167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	50.7
030A4390003	BENTON	0A439	1.26	CANE CREEK	WEIGHT POSTED	8/19/2010	1970	36.048861	-88.100583	CONCRETE	CHANNEL BEAM	36.2
04021740007	BLED SOE	02174	0.45	ROCKY BRANCH	OPEN	6/21/2010	1977	35.688417	-85.114200	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	60.5
040A0680007	BLED SOE	0A068	13.01	BRANCH	OPEN	6/14/2010	1978	35.588817	-85.213600	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	61.2
040A1140001	BLED SOE	0A114	0.02	BEE CREEK	OPEN	6/1/2010	1940	35.768417	-85.148917	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	40.8
040A3100001	BLED SOE	0A310	0.74	BRANCH	OPEN	6/17/2010	1976	35.456683	-85.297250	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.5
05S24980003	BLOUNT	01246	4.66	BRANCH	OPEN	1/26/2010	1920	35.809250	-83.876767	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	43.1
05024040001	BLOUNT	02404	0.62	NAILS CREEK	OPEN	2/8/2010	1930	35.813583	-83.883567	CONCRETE	TEE BEAM	44.2
050A0050001	BLOUNT	0A005	0.08	CSX RAILROAD	WEIGHT POSTED	1/26/2010	1993	35.693017	-84.087317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.4
050A5540001	BLOUNT	0A554	1.91	REED CREEK	WEIGHT POSTED	3/8/2010	1982	35.738167	-83.788017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	23.4
050A5540003	BLOUNT	0A554	2.19	REED CREEK	WEIGHT POSTED	3/8/2010	1982	35.739667	-83.783567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.5
050A5630001	BLOUNT	0A563	0.01	LITTLE RIVER	OPEN	3/8/2010	1920	35.684133	-83.792333	CONCRETE CONTINUOUS	CHANNEL BEAM	36.4
050A5810001	BLOUNT	0A581	0.01	LITTLE RIVER	WEIGHT POSTED	3/9/2010	1970	35.670467	-83.717367	CONCRETE	CHANNEL BEAM	6.0
050A8600003	BLOUNT	0A860	0.71	NINE MILE CREEK	WEIGHT POSTED	2/19/2010	1965	35.604150	-84.105800	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.0
050A8680001	BLOUNT	0A868	0.02	NINE MILE CREEK	WEIGHT POSTED	2/8/2010	1930	35.606483	-84.173017	CONCRETE	TEE BEAM	2.0
06022650009	BRADLEY	02265	5.42	CHATATA CREEK	WEIGHT POSTED	10/1/2009	1940	35.241767	-84.754950	STEEL	STRINGER/MULTI-BEAM OR GIRDER	40.5
06022740001	BRADLEY	02274	3.47	CHESTUEE CREEK	WEIGHT POSTED	10/29/2009	1960	35.201650	-84.710867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.3
060A0160001	BRADLEY	04615	0.09	LITTLE CHATTA CREEK	OPEN	8/23/2011	1960	35.169383	-84.825617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	34.7
06022590005	BRADLEY	0A003	4.75	BLACK FOX CREEK	WEIGHT POSTED	10/28/2009	1940	35.084750	-84.922367	CONCRETE	SLAB	48.9
060A0620001	BRADLEY	0A062	2.98	BRYMER CREEK	WEIGHT POSTED	10/26/2009	1965	35.130267	-84.977650	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.4

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
060A0700001	BRADLEY	0A070	2.27	BRANCH	OPEN	9/12/2011	1940	35.167067	-84.951133	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.5
060A2340001	BRADLEY	0A234	0.56	CANDIES CREEK	OPEN	9/12/2011	1965	35.150517	-84.917633	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	45.2
060A2010001	BRADLEY	0A867	0.09	MILL CREEK	OPEN	11/3/2009	1950	35.025033	-84.774417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	41.3
07S24480003	CAMPBELL	01278	3.77	PRIVATE ROAD	OPEN	5/26/2010	1940	36.339883	-84.151850	CONCRETE	CHANNEL BEAM	32.8
07S25820005	CAMPBELL	01282	5.27	DAVIS BRANCH	OPEN	6/18/2010	1977	36.479833	-84.010139	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	58.9
07024250001	CAMPBELL	02425	7.97	TITUS CREEK	OPEN	5/24/2010	1930	36.392083	-84.279100	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	46.1
07037480001	CAMPBELL	03748	0.77	BIG CREEK	OPEN	5/25/2010	1950	36.380050	-84.119850	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.8
070A0800005	CAMPBELL	0A080	0.79	STINKING CREEK	OPEN	5/28/2010	1930	36.507317	-84.143783	CONCRETE	ARCH - DECK	47.7
070A0790001	CAMPBELL	0A247	0.29	STINKING CREEK	WEIGHT POSTED	6/3/2010	1950	36.491722	-84.169750	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	13.1
070A6220001	CAMPBELL	0A622	0.27	CSX RAILROAD	WEIGHT POSTED	7/20/2010	1992	36.378517	-84.129867	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	24.2
080A0210001	CANNON	0A021	2.46	MARSHALL CREEK	OPEN	6/15/2011	1950	35.952567	-86.109567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.3
080A0330001	CANNON	0A033	0.02	SANDERS FORK CREEK	WEIGHT POSTED	6/20/2011	1920	35.902517	-86.101833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	27.1
080A0900001	CANNON	0A090	0.02	CONNELL CREEK	WEIGHT POSTED	6/30/2011	1920	35.917817	-86.014083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.4
080A1080001	CANNON	0A108	0.61	PARHCORN HOLLOW BRANCH	OPEN	7/5/2011	1940	35.821717	-86.021500	STEEL	STRINGER/MULTI-BEAM OR GIRDER	34.3
080A1410001	CANNON	0A141	0.99	BULL PEN CREEK	OPEN	7/11/2011	1920	35.737050	-86.015850	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.1
080A1410003	CANNON	0A141	1.75	BULLPEN CREEK	WEIGHT POSTED	7/11/2011	1920	35.736933	-86.015883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.9
080A1550001	CANNON	0A155	0.21	DUKE CREEK	OPEN	7/11/2011	1950	35.664333	-86.032233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.4
080A1810001	CANNON	0A181	2.70	BRANCH	OPEN	7/12/2011	1960	35.694833	-86.166200	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.1
080A1840001	CANNON	0A184	0.06	DUG BRANCH	OPEN	7/18/2011	1930	35.727083	-86.184600	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.4
080A3160001	CANNON	0A316	0.22	LEACH CREEK	OPEN	7/27/2011	1960	35.941950	-86.109450	STEEL	STRINGER/MULTI-BEAM OR GIRDER	27.3
080A3310001	CANNON	0A331	0.00	WILMORE CREEK	WEIGHT POSTED	7/28/2011	1950	35.911850	-85.993083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	33.3
080A3320001	CANNON	0A332	0.00	WILMORE CREEK	WEIGHT POSTED	7/28/2011	1950	35.917400	-85.991633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.0
080A3470001	CANNON	0A347	0.00	CLEAR FORK CREEK	WEIGHT POSTED	7/28/2011	1965	35.929867	-85.991417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.0
080A3540001	CANNON	0A354	0.00	EAST FORK STONES RIVER	WEIGHT POSTED	8/2/2011	1965	35.831400	-85.000883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	17.0
080A4120001	CANNON	0A412	0.00	HOLLIS CREEK	WEIGHT POSTED	8/4/2011	1965	35.807050	-86.115200	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.4
09008140003	CARROLL	00814	3.49	HAWKINS CREEK	OPEN	4/14/2010	1960	35.927111	-88.358278	CONCRETE	CHANNEL BEAM	45.0
09017140001	CARROLL	01714	1.52	STEEP BANK BRANCH	OPEN	4/19/2010	1970	35.921444	-88.619056	CONCRETE	CHANNEL BEAM	52.0
09017140003	CARROLL	01714	2.69	BRANCH	OPEN	4/19/2010	1970	35.917333	-88.600139	CONCRETE	CHANNEL BEAM	49.2
090A0590001	CARROLL	0A059	2.62	HALLEY CREEK	OPEN	4/19/2010	1975	36.016972	-88.573722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	48.2
090A1260001	CARROLL	0A126	1.29	BRANCH	OPEN	4/21/2010	1970	36.102778	-88.594583	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	62.4

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
090A3000001	CARROLL	0A300	1.24	OBION RIVER	WEIGHT POSTED	4/19/2010	1970	35.831389	-88.468028	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.3
090A6800001	CARROLL	0A680	0.92	ROANE CREEK	OPEN	4/22/2010	1975	35.871806	-88.408556	CONCRETE	CHANNEL BEAM	56.9
10S25150001	CARTER	01077	2.13	SULPHUR SPRINGS BRANCH	WEIGHT POSTED	9/24/2009	1945	36.346917	-82.153733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	26.3
10025150007	CARTER	01077	2.17	SULPHUR CREEK	WEIGHT POSTED	9/24/2009	1955	36.346383	-82.154100	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	17.6
10S25580001	CARTER	01383	3.65	POWDER BRANCH	WEIGHT POSTED	9/1/2011	1950	36.310950	-82.269150	CONCRETE CONTINUOUS	SLAB	4.0
10013850003	CARTER	01385	1.99	WATAUGA RIVER	WEIGHT POSTED	7/26/2011	1940	36.345636	-82.282742	STEEL	TRUSS - THRU	17.8
10026090001	CARTER	02609	3.51	BUFFALO CREEK	OPEN	9/1/2011	1960	36.297333	-82.298517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.0
10026800003	CARTER	02680	0.57	DOE RIVER	OPEN	8/31/2011	1984	36.144817	-82.108383	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	49.6
10039380001	CARTER	03938	0.18	GAP CREEK	OPEN	9/13/2011	1925	36.331217	-82.263967	CONCRETE CONTINUOUS	SLAB	39.9
100A2730001	CARTER	04261	3.01	LITTLE DOE RIVER	WEIGHT POSTED	9/8/2009	1915	36.246883	-82.194817	CONCRETE	ARCH - DECK	32.8
100A5590001	CARTER	04833	1.14	GAP CREEK	WEIGHT POSTED	9/13/2011	1939	36.321550	-82.248383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.0
100A9850001	CARTER	0A102	0.62	STONE CREEK	WEIGHT POSTED	9/8/2011	1968	36.452717	-82.031517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.7
100A2500001	CARTER	0A250	0.11	BUFFALO CREEK	OPEN	9/1/2011	1960	36.307067	-82.291883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	38.3
100C1010001	CARTER	0A373	0.02	DOE RIVER	WEIGHT POSTED	8/30/2011	1946	36.186600	-82.071683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	15.3
100A6180001	CARTER	0A618	0.03	TIGER CREEK	WEIGHT POSTED	9/14/2011	1970	36.190783	-82.187167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.0
100A6340001	CARTER	0A634	1.76	DOE RIVER	WEIGHT POSTED	8/30/2011	1889	36.235783	-82.155400	STEEL	TRUSS - THRU	9.1
100A6350001	CARTER	0A635	0.07	DOE RIVER	OPEN	8/31/2011	1978	36.230717	-82.143550	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.0
100A6420001	CARTER	0A642	0.63	GEORGE CREEK	WEIGHT POSTED	8/31/2011	1950	36.201850	-82.104067	CONCRETE	SLAB	45.8
100A6560001	CARTER	0A656	0.01	DOE RIVER	OPEN	8/30/2011	1983	36.171750	-82.079750	CONCRETE	SLAB	52.2
100A6730001	CARTER	0A673	0.02	DOE RIVER	WEIGHT POSTED	8/29/2011	1960	36.198833	-82.070233	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	7.3
100A7240001	CARTER	0A724	0.09	LITTLE DOE RIVER	WEIGHT POSTED	9/8/2009	1972	36.274667	-82.179383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.5
10SR0670011	CARTER	0A746	0.29	LAUREL FORK CREEK	OPEN	9/14/2009	1941	36.287867	-82.171533	CONCRETE	TEE BEAM	28.5
100A7520001	CARTER	0A752	0.01	LAUREL FORK CREEK	OPEN	9/14/2009	1975	36.286350	-82.158450	STEEL	STRINGER/MULTI-BEAM OR GIRDER	44.6
100A7650001	CARTER	0A765	4.52	LAUREL FORK CREEK	WEIGHT POSTED	9/9/2009	1945	36.256783	-82.111100	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.0
100A7670001	CARTER	0A767	0.02	LAUREL FORK CREEK	WEIGHT POSTED	9/9/2009	1979	36.263750	-82.122617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.9
100A8690001	CARTER	0A869	0.56	STONE CREEK	WEIGHT POSTED	9/12/2011	1960	36.389400	-82.128667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.5
100A9060003	CARTER	0A906	0.39	STONE CREEK	WEIGHT POSTED	9/12/2011	1960	36.386250	-82.137450	STEEL	STRINGER/MULTI-BEAM OR GIRDER	33.9
100A9610001	CARTER	0A961	0.02	STONE CREEK	WEIGHT POSTED	9/12/2011	1965	36.427950	-82.058550	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.3
100A9670001	CARTER	0A967	0.05	STONE CREEK	WEIGHT POSTED	9/8/2011	1972	36.434117	-82.053417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	23.4
100A9720001	CARTER	0A972	0.11	STONE CREEK	OPEN	9/8/2011	1984	36.441383	-82.045233	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	57.2
100A9740001	CARTER	0A974	1.61	STONY CREEK	WEIGHT POSTED	9/8/2011	1974	36.446150	-82.044400	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.7

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
100B0010001	CARTER	0B001	0.02	DOE RIVER	WEIGHT POSTED	8/29/2011	1978	36.202450	-82.080617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.8
100B0230001	CARTER	0B023	0.03	STONE CREEK	WEIGHT POSTED	9/8/2011	1986	36.449733	-82.042033	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.7
100B0850001	CARTER	0B085	0.02	HAMPTON CREEK	WEIGHT POSTED	8/31/2011	1987	36.177583	-82.066933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.5
100Z0010001	CARTER	0B138	0.01	DOE RIVER	WEIGHT POSTED	8/29/2011	1970	36.190683	-82.069583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	27.0
100C1020001	CARTER	0C102	0.02	LITTLE DOE CREEK	WEIGHT POSTED	9/14/2011	1975	36.233283	-82.186967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.0
11019460001	CHEATHAM	01946	9.11	SPRING CREEK	OPEN	10/5/2010	1945	36.396467	-87.042950	STEEL	STRINGER/MULTI-BEAM OR GIRDER	40.9
110A2260003	CHEATHAM	0A226	2.40	DRY FORK CREEK	OPEN	10/11/2010	1970	36.270033	-87.037950	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.2
110A2350001	CHEATHAM	0A235	0.58	MARROWBONE CREEK	OPEN	10/12/2010	1975	36.245517	-87.013917	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	57.0
12016750001	CHESTER	01675	3.01	BRANCH	OPEN	2/25/2010	1955	35.352444	-88.725111	CONCRETE	CHANNEL BEAM	50.0
12016790005	CHESTER	01679	2.51	JACKS CREEK	WEIGHT POSTED	2/18/2010	1991	35.409972	-88.591083	CONCRETE	CHANNEL BEAM	33.9
12016790007	CHESTER	01679	2.59	JACKS CREEK	OPEN	2/18/2010	1960	35.411000	-88.591306	CONCRETE	CHANNEL BEAM	44.9
12S81640005	CHESTER	01686	2.62	BRANCH	CLOSED	2/12/2010	1958	35.426889	-88.582222	CONCRETE	SLAB	20.6
12016960001	CHESTER	01696	0.86	FINGER CREEK	OPEN	2/10/2010	1970	35.508750	-88.639528	CONCRETE	CHANNEL BEAM	50.5
120A2030001	CHESTER	0A113	1.18	SPRING CREEK	OPEN	2/19/2010	1993	35.424139	-88.526194	CONCRETE	CHANNEL BEAM	49.6
120A1890003	CHESTER	0A189	3.67	JACKS CREEK	WEIGHT POSTED	2/12/2010	1970	35.441083	-88.527806	CONCRETE	CHANNEL BEAM	29.1
120A1890005	CHESTER	0A189	5.16	SPRING CREEK	WEIGHT POSTED	2/12/2010	1995	35.434056	-88.503556	CONCRETE	SLAB	28.0
120A3070001	CHESTER	0A307	1.92	LITTLE PINEY CREEK	OPEN	2/22/2010	1970	35.353361	-88.793722	CONCRETE	CHANNEL BEAM	69.0
120A3270001	CHESTER	0A407	0.37	KISE CREEK	WEIGHT POSTED	2/22/2010	1993	35.287000	-88.764722	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	32.8
120A3290001	CHESTER	C0000	0.49	KISE CREEK	WEIGHT POSTED	2/23/2010	1990	35.297944	-88.762417	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	35.8
130A0690003	CLAIBORNE	01310	2.76	GAP CREEK	OPEN	6/13/2011	1975	36.582450	-83.679400	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	43.5
13024720001	CLAIBORNE	02472	3.04	CAWOOD BRANCH	WEIGHT POSTED	6/8/2011	1951	36.457167	-83.876733	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	20.4
13025030001	CLAIBORNE	02503	1.58	HOOP CREEK	WEIGHT POSTED	6/14/2011	1980	36.524000	-83.431533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.9
130A2410001	CLAIBORNE	0A241	0.05	LITTLE SYCAMORE CREEK	WEIGHT POSTED	6/14/2011	1970	36.454767	-83.505233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.9
130A2500001	CLAIBORNE	0A250	0.36	BIG SYCAMORE CREEK	WEIGHT POSTED	6/15/2011	1989	36.441367	-83.439467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.3
130A2570001	CLAIBORNE	0A257	0.76	S. FK. SYCAMORE CR	WEIGHT POSTED	6/15/2011	1985	36.472800	-83.398067	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	21.0
130A4970001	CLAIBORNE	0A497	0.34	DAVIS CREEK	WEIGHT POSTED	6/8/2011	1935	36.443550	-83.916267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.8
140A0170001	CLAY	0A017	0.02	LINE CREEK	OPEN	4/21/2010	1975	36.608033	-85.769450	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.7
140A0530001	CLAY	0A053	0.16	PROCTOR BRANCH	WEIGHT POSTED	5/24/2010	1950	36.570300	-85.539583	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	24.7
140A2100003	CLAY	0A210	7.30	MILL CREEK	OPEN	5/10/2010	1941	36.483300	-85.458983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	78.2
14022520001	CLAY	0A593	1.31	BRIMSTONE CREEK	CLOSED	5/27/2010	1940	36.489200	-85.625267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	4.3
15025130001	COCKE	02513	2.95	KNOB CREEK	WEIGHT POSTED	10/12/2010	1973	36.112833	-83.140283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.4
15SR0320007	COCKE	02570	0.10	COSBY CREEK	WEIGHT POSTED	12/13/2010	1954	35.873200	-83.223383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.7

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
15025740001	COCKE	02574	0.17	TRAIL FORK BIG CREEK	WEIGHT POSTED	11/8/2010	1973	35.906983	-83.023500	STEEL	STRINGER/MULTI-BEAM OR GIRDER	40.3
150A2870001	COCKE	02574	7.04	GULF FORK BIG CREEK	WEIGHT POSTED	11/29/2010	1973	35.878433	-83.096467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	2.0
15025740017	COCKE	02574	10.28	GULF FORK BIG CREEK	OPEN	11/10/2010	1978	35.850717	-83.101150	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8
150A0550001	COCKE	0A055	0.09	SINKING CREEK	OPEN	10/13/2010	1960	35.988317	-83.206567	CONCRETE	SLAB	31.0
150A1360001	COCKE	0A136	0.90	CLEAR CREEK	OPEN	10/13/2010	1984	35.098600	-83.139067	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.8
150A2380001	COCKE	0A238	0.62	LONG CREEK	WEIGHT POSTED	11/5/2010	1920	35.953833	-83.050250	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	38.5
150A2610001	COCKE	0A261	3.49	TRAIL FORK BIG CREEK	WEIGHT POSTED	11/8/2010	1934	35.877233	-83.926000	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.4
150A2760001	COCKE	0A276	0.01	TRAIL FORK BIG CREEK	WEIGHT POSTED	11/8/2010	1975	35.895583	-83.003700	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.0
150A3050001	COCKE	0A305	1.30	GULF FORK BIG CREEK	WEIGHT POSTED	11/9/2010	1974	35.818100	-83.042017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.2
150A4070001	COCKE	0A407	0.01	COSBY CREEK	OPEN	10/4/2010	1984	35.801467	-83.239950	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	51.9
150A4080001	COCKE	0A408	1.21	COSBY CREEK	OPEN	10/4/2010	1983	35.787917	-83.227600	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	54.4
150A4470001	COCKE	0A447	0.28	COSBY CREEK	OPEN	10/4/2010	1983	35.823883	-83.245983	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	58.2
150A3100001	COCKE	0A792	0.03	GRASSY FORK CREEK	WEIGHT POSTED	11/10/2010	1972	35.814417	-83.078433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.0
150A9090001	COCKE	0A909	1.11	NOLICHUKY RIVER	WEIGHT POSTED	11/22/2010	1924	36.122200	-83.125283	CONCRETE	ARCH - DECK	47.3
16S62600001	COFFEE	02010	0.19	NOAH FORK CREEK	OPEN	5/5/2010	1955	35.574800	-86.238750	MASONRY	ARCH - DECK	41.8
160A2120001	COFFEE	0A212	0.81	BETSY WILLIS CREEK	OPEN	3/29/2010	1963	35.300733	-85.930900	CONCRETE	SLAB	43.6
160A4090005	COFFEE	0A409	0.81	NORTON BRANCH	WEIGHT POSTED	4/13/2010	1959	35.641800	-86.213200	CONCRETE	SLAB	37.1
17014280001	CROCKETT	01428	0.64	BRANCH	OPEN	10/4/2010	1965	35.775528	-89.200278	CONCRETE	CHANNEL BEAM	50.3
17015680003	CROCKETT	01568	1.18	BR SO FK OF FK DEER R	WEIGHT POSTED	10/5/2010	1962	35.698389	-89.044694	STEEL	STRINGER/MULTI-BEAM OR GIRDER	38.3
170A0270001	CROCKETT	0A027	0.68	BEAR CREEK	WEIGHT POSTED	10/5/2010	1992	35.821722	-89.273417	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	51.8
170A0600001	CROCKETT	0A060	1.72	BRANCH POND CREEK	WEIGHT POSTED	10/5/2010	1962	35.862472	-89.288167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.8
170A0780001	CROCKETT	0A078	1.08	POND CREEK	OPEN	10/5/2010	1965	35.836056	-89.198944	CONCRETE	CHANNEL BEAM	47.6
170A1420001	CROCKETT	0A142	1.15	BRANCH	OPEN	10/6/2010	1980	35.851778	-89.144000	CONCRETE	CHANNEL BEAM	40.0
170A1880001	CROCKETT	0A188	1.31	BRANCH OF CYPRESS CREEK	WEIGHT POSTED	10/7/2010	1964	35.769889	-89.079472	CONCRETE	CHANNEL BEAM	45.3
170A2240001	CROCKETT	0A224	0.81	BEECH CREEK	OPEN	10/11/2010	1960	35.747333	-88.946528	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	20.5
170A3080001	CROCKETT	0A308	0.24	BRANCH	WEIGHT POSTED	10/12/2010	1960	35.738944	-89.182583	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	33.0
170A3190001	CROCKETT	0A319	2.03	BLACK CREEK	WEIGHT POSTED	10/11/2010	1965	35.782278	-89.260500	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53.8
170A3250003	CROCKETT	0A325	1.15	BEAR CREEK	CLOSED	10/11/2010	1990	35.797833	-89.302139	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	35.0
170A3860001	CROCKETT	0A386	0.01	BRANCH	WEIGHT POSTED	10/11/2010	1983	35.746111	-89.018944	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	60.8
170A3880001	CROCKETT	0A388	0.10	BRANCH	OPEN	10/12/2010	1965	35.760444	-89.101222	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	38.0
18022020003	CUMBERLAND	02202	3.13	POKEPATCH CREEK	OPEN	5/26/2010	1965	35.949917	-85.213850	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.1
18022890001	CUMBERLAND	02289	3.59	DUNCAN CREEK	OPEN	6/2/2011	1940	36.002083	-85.201683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.1

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
180A2890001	CUMBERLAND	0A289	0.31	WHITES CREEK	WEIGHT POSTED	5/11/2010	1960	35.776833	-84.903900	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	30.8
19SR0010035	DAVIDSON	04952	0.23	VULTEE BLVD/MURF'BORO RD	OPEN	5/19/2011	1941	36.124033	-86.707817	CONCRETE	TEE BEAM	39.8
190A9890003	DAVIDSON	04967	0.31	STONER CREEK	OPEN	5/17/2011	1953	36.185317	-86.626333	CONCRETE	TEE BEAM	31.5
190D8960001	DAVIDSON	05501	0.10	CSX RR & RICHLAND CREEK	OPEN	7/27/2011	1916	36.121967	-86.852750	CONCRETE	TEE BEAM	39.6
190B3750001	DAVIDSON	0B375	0.01	MANSKER CREEK	WEIGHT POSTED	8/3/2011	1956	36.386850	-86.734750	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.1
190E2790001	DAVIDSON	0B846	0.85	BRANCH	OPEN	8/11/2011	1970	36.043350	-86.703333	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.4
190C8030001	DAVIDSON	0C803	0.98	BRANCH	OPEN	8/5/2011	1930	36.165383	-86.729900	CONCRETE	ARCH - DECK	49.4
190D9170001	DAVIDSON	0D079	0.15	RICHLAND CREEK	CLOSED	6/29/2011	1920	36.120133	-86.856850	CONCRETE	TEE BEAM	19.0
190F2470001	DAVIDSON	0F247	0.40	BRANCH	OPEN	6/30/2011	1956	36.140033	-86.833183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	44.4
19032660001	DAVIDSON	0P039	0.22	BRANCH	OPEN	8/5/2011	1940	36.172817	-86.731100	CONCRETE	ARCH - DECK	42.3
20SR0690009	DECATUR	02732	4.79	WHITES CREEK	OPEN	8/9/2010	1939	35.502056	-88.099556	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.1
20S80640005	DECATUR	05577	1.92	OVERFLOW	CLOSED	8/10/2010	1954	35.745056	-88.155056	CONCRETE	TEE BEAM	20.5
200A0600001	DECATUR	0A060	0.69	LITTLE LICK CREEK	WEIGHT POSTED	8/11/2010	1975	35.770222	-88.130417	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	45.2
200A0980001	DECATUR	0A098	0.10	MORGAN CREEK	WEIGHT POSTED	8/16/2010	1970	35.818806	-88.044194	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	35.9
200A2220003	DECATUR	0A240	1.18	LOST CREEK	WEIGHT POSTED	8/12/2010	1960	35.555750	-88.075389	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	39.9
200A2570001	DECATUR	0A257	0.83	WHITES CREEK	CLOSED	8/10/2010	1900	35.508778	-88.008556	STEEL	TRUSS - THRU	20.9
210A0500001	DEKALB	0A013	4.18	SMITH FORK CREEK	OPEN	9/13/2010	2007	36.034667	-85.938417	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	72.8
210A0810001	DEKALB	0A095	6.06	FALL CREEK	WEIGHT POSTED	8/13/2009	1940	35.964250	-85.812917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.5
210A2610001	DEKALB	0A321	1.18	DRY CREEK	WEIGHT POSTED	9/3/2009	1950	35.927717	-85.917233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.4
210A2840001	DEKALB	0A329	1.08	EGYPT HOLLOW BRANCH	WEIGHT POSTED	10/21/2009	1960	35.969867	-85.901250	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.5
210A2780003	DEKALB	0A330	3.65	DRY CREEK	WEIGHT POSTED	10/1/2009	1922	36.000667	-85.930483	CONCRETE	ARCH - DECK	25.7
220A1470001	DICKSON	0A063	0.07	BIG BARTONS CREEK	CLOSED	8/3/2010	1937	36.277550	-87.327783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21.4
23F00020013	DYER	00824	5.01	OVERFLOW	OPEN	6/9/2010	1960	36.006639	-89.557667	CONCRETE	CHANNEL BEAM	23.6
23014950001	DYER	01495	2.48	OVERFLOW	OPEN	6/28/2010	1970	35.972583	-89.412278	CONCRETE	TEE BEAM	76.1
23014970005	DYER	01497	2.41	DRAINAGE DITCH	OPEN	6/29/2010	1974	35.968250	-89.590444	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	21.4
23014970001	DYER	01497	5.78	RUSH SLOUGH	OPEN	6/29/2010	1970	36.012250	-89.595639	CONCRETE	CHANNEL BEAM	39.9
23014990003	DYER	01499	2.86	BRANCH	OPEN	6/24/2010	1975	36.072694	-89.255722	CONCRETE	CHANNEL BEAM	20.2
23015020003	DYER	01502	3.57	DOAKVILLE CREEK	OPEN	6/28/2010	1960	36.060222	-89.214528	CONCRETE	TEE BEAM	47.2
23015020009	DYER	01502	4.54	BRANCH	OPEN	6/28/2010	1984	36.055306	-89.201528	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.8
230A2080001	DYER	0A208	2.37	DRAINAGE DITCH	WEIGHT POSTED	7/7/2010	1970	36.137611	-89.482944	STEEL	STRINGER/MULTI-BEAM OR GIRDER	26.2
230A2200001	DYER	0A220	0.45	DRAINAGE DITCH	OPEN	7/6/2010	1950	36.179333	-89.438139	STEEL	STRINGER/MULTI-BEAM OR GIRDER	23.0
230A2300001	DYER	0A230	1.09	SLOUGH	OPEN	7/6/2010	1974	36.185283	-89.467217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.3
230A2410001	DYER	0A241	1.71	ALDRIDGE CREEK	WEIGHT POSTED	7/6/2010	1990	36.205389	-89.336750	CONCRETE	CHANNEL BEAM	47.8
230A2640003	DYER	0A264	0.89	BRANCH	OPEN	7/6/2010	1972	36.152567	-89.306017	CONCRETE	CHANNEL BEAM	17.7
230A2650001	DYER	0A265	0.46	BIFFLE CREEK	OPEN	7/6/2010	1970	36.171694	-89.327556	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	48.9
230A2680007	DYER	0A268	2.17	TOWN CREEK	OPEN	6/29/2010	1996	36.160600	-89.288222	CONCRETE	CHANNEL BEAM	20.5

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
230A2820003	DYER	0A282	2.15	MULHERIN CREEK	OPEN	6/29/2010	1965	36.140361	-89.219694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	39.9
230A3330001	DYER	0A333	0.95	MULHERIN CREEK	OPEN	7/1/2010	1981	36.133083	-89.228250	CONCRETE	CHANNEL BEAM	62.9
230A3850001	DYER	0A385	1.01	BRANCH	WEIGHT POSTED	7/1/2010	1980	36.023500	-89.262889	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.4
230A3980005	DYER	0A398	2.14	PARKER DITCH	WEIGHT POSTED	6/30/2010	1965	35.997222	-89.277806	STEEL	STRINGER/MULTI-BEAM OR GIRDER	26.7
230A4260003	DYER	0A426	1.68	BRANCH	OPEN	6/24/2010	1970	35.892556	-89.304028	CONCRETE	CHANNEL BEAM	60.4
230A4930001	DYER	0A493	1.55	MCBRIDE CREEK	OPEN	6/30/2010	1982	35.968250	-89.448417	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	14.6
230A4980001	DYER	0A498	0.02	BRANCH	OPEN	6/30/2010	1975	35.947528	-89.457056	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	34.9
230A6150001	DYER	0A615	5.50	BRANCH	OPEN	7/7/2010	1980	35.938750	-89.507528	CONCRETE	CHANNEL BEAM	61.4
230A6160001	DYER	0A616	1.00	DRAINAGE DITCH	OPEN	7/1/2010	1980	36.009611	-89.488889	CONCRETE	CHANNEL BEAM	39.9
24015530007	FAYETTE	00840	6.74	BRANCH	CLOSED	12/13/2010	1965	35.308944	-89.272139	CONCRETE	CHANNEL BEAM	19.0
24S80790001	FAYETTE	00845	0.27	SANDY CREEK	CLOSED	12/14/2010	1938	35.049222	-89.440889	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	18.8
24S81130021	FAYETTE	01442	1.05	BRANCH	OPEN	12/13/2010	1960	35.060722	-89.243222	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.4
24014540001	FAYETTE	01454	5.26	BRANCH	OPEN	12/14/2010	1965	35.102972	-89.560889	CONCRETE	CHANNEL BEAM	45.8
24015530009	FAYETTE	01553	2.97	BEAR CREEK	OPEN	1/6/2011	1965	35.361639	-89.214167	CONCRETE	CHANNEL BEAM	47.4
24015550005	FAYETTE	01555	1.13	DRAINAGE DITCH	WEIGHT POSTED	1/6/2011	1963	35.363944	-89.336222	CONCRETE	CHANNEL BEAM	44.6
24015550007	FAYETTE	01555	4.34	BIG MUDDY CREEK	OPEN	12/22/2010	1962	35.338556	-89.310944	CONCRETE	CHANNEL BEAM	55.4
24015550009	FAYETTE	01555	4.46	OVERFLOW	CLOSED	1/6/2011	1967	35.336833	-89.311000	CONCRETE	CHANNEL BEAM	31.6
240A0020003	FAYETTE	0A002	4.21	BLACK ANKLE CREEK	CLOSED	1/6/2011	1967	35.258944	-89.553722	CONCRETE	CHANNEL BEAM	19.6
240A0180007	FAYETTE	0A018	10.36	OVERFLOW	CLOSED	1/7/2011	1944	35.312000	-89.547861	CONCRETE	CHANNEL BEAM	25.3
240A0260005	FAYETTE	0A026	3.01	OVERFLOW	WEIGHT POSTED	1/18/2011	1960	35.308889	-89.572222	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.4
240A0430011	FAYETTE	0A043	4.16	BRANCH	OPEN	1/24/2011	1973	35.367250	-89.448056	CONCRETE	CHANNEL BEAM	60.5
240A0460001	FAYETTE	0A046	0.47	BRANCH	WEIGHT POSTED	1/24/2011	1960	35.322139	-89.436917	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	34.1
240A0610001	FAYETTE	0A061	1.77	LOOSAHATCHIE RIVER	CLOSED	1/13/2011	1955	35.280139	-89.401833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	15.4
240A0630001	FAYETTE	0A063	0.48	CYPRESS CREEK	OPEN	1/13/2011	1980	35.195917	-89.602917	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	61.4
240A0700001	FAYETTE	0A070	1.42	TREADVILLE CREEK	WEIGHT POSTED	1/24/2011	1950	35.256139	-89.478056	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.7
240A0710001	FAYETTE	0A071	0.37	BRANCH	WEIGHT POSTED	1/27/2011	1960	35.257417	-89.485778	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	20.9
240A0830001	FAYETTE	0A083	2.33	SMART CREEK	WEIGHT POSTED	1/26/2011	1965	35.334306	-89.347778	CONCRETE	CHANNEL BEAM	47.7
240A0910001	FAYETTE	0A091	0.44	LITTLE CREEK	OPEN	1/24/2011	1965	35.370222	-89.203611	CONCRETE	CHANNEL BEAM	45.2
240A0910003	FAYETTE	0A091	0.63	BRANCH	OPEN	1/24/2011	1969	35.372000	-89.201056	CONCRETE	CHANNEL BEAM	47.2
240A0940003	FAYETTE	0A094	0.07	LONDON CREEK	OPEN	1/19/2011	1965	35.395361	-89.266389	CONCRETE	CHANNEL BEAM	59.5
240A0970001	FAYETTE	0A097	0.26	BRANCH	OPEN	1/19/2011	1965	35.376250	-89.202111	CONCRETE	CHANNEL BEAM	56.4
240A1030001	FAYETTE	0A103	1.56	BRANCH	WEIGHT POSTED	1/26/2011	1965	35.322417	-89.291306	CONCRETE	CHANNEL BEAM	39.9
240A1060001	FAYETTE	0A106	1.76	BIG MUDDY CREEK	WEIGHT POSTED	1/26/2011	1965	35.299750	-89.264500	CONCRETE	CHANNEL BEAM	22.0
240A1140001	FAYETTE	0A114	1.58	BIG MUDDY CREEK	CLOSED	1/28/2011	1970	35.298667	-89.244889	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.9
240A1190001	FAYETTE	0A119	0.84	BRANCH OF GREGG CREEK	WEIGHT POSTED	1/27/2011	1999	35.262806	-89.193222	CONCRETE	CHANNEL BEAM	39.9
240A1190003	FAYETTE	0A119	2.14	GREGG CREEK	WEIGHT POSTED	1/27/2011	1989	35.274417	-89.204722	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.9
240A1210003	FAYETTE	0A121	2.38	BRANCH OF GREGG CREEK	WEIGHT POSTED	1/26/2011	1960	35.251194	-89.194278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	38.2
240A1270003	FAYETTE	0A127	0.26	BRANCH	OPEN	1/27/2011	1993	35.193806	-89.311750	CONCRETE	CHANNEL BEAM	47.7
240A1290003	FAYETTE	0A129	2.46	BRANCH N FORK WOLF RIV	OPEN	1/27/2011	1965	35.175750	-89.243306	CONCRETE	CHANNEL BEAM	46.3
240A1360001	FAYETTE	0A136	1.18	BRANCH OF MORROW CREEK	OPEN	1/26/2011	1962	35.230944	-89.210333	CONCRETE	CHANNEL BEAM	62.9

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
240A1440001	FAYETTE	0A144	2.70	MAY CREEK	OPEN	1/27/2011	1962	35.149639	-89.198111	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.4
240A1490001	FAYETTE	0A149	0.30	NORTH FORK CREEK	WEIGHT POSTED	1/28/2011	1961	35.104139	-89.213556	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	29.0
240A1910001	FAYETTE	0A191	1.33	BRANCH	CLOSED	1/31/2011	1960	35.027806	-89.270778	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.4
240A2030003	FAYETTE	0A203	2.05	BRANCH	OPEN	1/28/2011	1960	35.023444	-89.457917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	13.0
240A2150001	FAYETTE	0A215	0.44	BRANCH	OPEN	2/2/2011	1965	35.191667	-89.489306	CONCRETE	CHANNEL BEAM	48.7
240A2170001	FAYETTE	0A217	0.56	SHAWS CREEK	OPEN	1/31/2011	1977	35.161500	-89.488833	CONCRETE	CHANNEL BEAM	43.3
240A2290003	FAYETTE	0A229	2.00	SHAWS CREEK	OPEN	1/31/2011	1965	35.117167	-89.543583	CONCRETE	CHANNEL BEAM	55.0
240A2320003	FAYETTE	0A232	3.05	HURRICANE CREEK	OPEN	2/2/2011	1965	35.077639	-89.527250	CONCRETE	CHANNEL BEAM	48.7
240A2440001	FAYETTE	0A244	0.35	BRANCH	CLOSED	1/31/2011	1970	35.057528	-89.636028	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.3
240A2550001	FAYETTE	0A255	1.11	BRANCH	OPEN	1/31/2011	1965	35.174056	-89.526833	CONCRETE	CHANNEL BEAM	49.3
250A0710005	FENTRESS	0A071	1.65	BIG DRY CREEK	OPEN	8/12/2010	1940	36.523333	-84.927067	CONCRETE	TEE BEAM	30.1
250A0730001	FENTRESS	0A073	0.14	ROTTEN FORK WOLF RIVER	OPEN	7/26/2010	1940	36.563617	-84.944783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.6
250A1440001	FENTRESS	0A144	0.96	BIG CREEK	WEIGHT POSTED	8/9/2010	1935	36.363200	-84.779633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	40.4
250A1980001	FENTRESS	0A198	0.09	ROCK CASTLE CREEK	OPEN	7/29/2010	1940	36.377417	-84.996883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.3
250A3020001	FENTRESS	0A302	1.06	BIG LAUREL CREEK	OPEN	7/22/2010	1940	36.267150	-85.098667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	51.1
260A6040003	FRANKLIN	0A604	0.94	BRANCH	WEIGHT POSTED	12/15/2009	1950	35.123983	-86.062950	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.6
260A7320001	FRANKLIN	0A732	0.24	NEAL CREEK	OPEN	12/3/2009	1950	35.164100	-86.271833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	60.4
260A7350001	FRANKLIN	0B175	0.15	MURRELL CREEK	WEIGHT POSTED	12/3/2009	1955	35.180417	-86.266250	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.0
27014010001	GIBSON	01401	2.83	RUTHERFORD FK. OBION R.	CLOSED	3/10/2010	1962	36.081083	-88.915083	CONCRETE CONTINUOUS	TEE BEAM	19.4
27014010007	GIBSON	01401	3.35	OVERFLOW	CLOSED	3/11/2010	1960	36.076222	-88.921444	CONCRETE	CHANNEL BEAM	31.3
27015850005	GIBSON	01585	1.36	OVERFLOW	OPEN	3/12/2010	1971	35.958056	-88.737972	CONCRETE	CHANNEL BEAM	49.3
27015850015	GIBSON	01585	2.55	CRESSVILLE CREEK	WEIGHT POSTED	3/12/2010	1972	35.970500	-88.724861	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	23.8
27015870001	GIBSON	01587	1.85	BUCK CREEK	WEIGHT POSTED	3/16/2010	1970	35.942833	-89.054861	CONCRETE	CHANNEL BEAM	34.2
27015920001	GIBSON	01592	8.30	BRANCH BUCK CREEK	OPEN	3/16/2010	1970	35.963917	-89.116611	CONCRETE	CHANNEL BEAM	44.3
27015940007	GIBSON	01594	7.23	DRAINAGE DITCH	OPEN	3/11/2010	1965	36.050472	-89.070889	CONCRETE	CHANNEL BEAM	47.0
27015960001	GIBSON	01596	6.36	BRANCH	OPEN	3/15/2010	1965	36.072917	-88.961222	CONCRETE	CHANNEL BEAM	49.4
27S80290023	GIBSON	05559	2.91	PARKER BRANCH	WEIGHT POSTED	3/12/2010	1958	36.141806	-89.113222	CONCRETE	CHANNEL BEAM	38.4
270A0770001	GIBSON	0A077	0.38	EDMUNDSON CREEK	OPEN	3/12/2010	1972	36.148722	-89.068083	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	24.0
270A1140001	GIBSON	0A114	1.05	BR RUTHERFORD FORK OBION	WEIGHT POSTED	3/15/2010	1955	36.179806	-88.024444	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	28.5
270A2240001	GIBSON	0A224	0.47	BRANCH OF CAMP CREEK	OPEN	3/15/2010	1970	36.031333	-88.913250	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	21.4
270A2370001	GIBSON	0A237	0.61	BRANCH	WEIGHT POSTED	3/16/2010	1970	36.162639	-88.976972	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	20.6
270A2380001	GIBSON	0A238	0.15	BRANCH	WEIGHT POSTED	3/17/2010	1982	36.168000	-88.925361	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	49.2
270A2400001	GIBSON	0A240	0.19	BR S FORK OBION RIVER	WEIGHT POSTED	3/15/2010	1970	36.155306	-88.918028	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	28.5
270A3490001	GIBSON	0A349	1.39	BRANCH OF RUTHERFORD FK.	OPEN	3/15/2010	1970	36.005472	-88.809583	CONCRETE	CHANNEL BEAM	68.9
270A3610001	GIBSON	0A361	1.46	BR THOMPSON LEVEE CREEK	OPEN	3/17/2010	1972	36.004111	-88.874750	CONCRETE	CHANNEL BEAM	48.1
270A3610003	GIBSON	0A361	4.85	BR N FORK FORKED DEER	WEIGHT POSTED	3/17/2010	1975	35.986056	-88.926972	CONCRETE	CHANNEL BEAM	31.6

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
270A3640001	GIBSON	0A364	1.04	DITCH	OPEN	3/17/2010	1970	36.033167	-88.877833	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	56.4
270A3760007	GIBSON	0A376	0.09	OVERFLOW	WEIGHT POSTED	2/3/2011	1994	36.013556	-89.193583	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	3.0
270A6490001	GIBSON	0A649	1.35	N FORK OF FORKED DEER	WEIGHT POSTED	3/16/2010	1970	35.850278	-88.771417	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	31.0
270A7110001	GIBSON	0A711	1.99	HOG CREEK	WEIGHT POSTED	3/18/2010	1974	35.871139	-88.854389	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	26.7
270A7150001	GIBSON	0A715	1.13	WALLSMITH BRANCH	OPEN	3/18/2010	1960	35.889750	-88.881167	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	39.0
270A7220001	GIBSON	0A722	1.74	CAIN CREEK	OPEN	3/18/2010	1970	35.895556	-88.927028	CONCRETE	CHANNEL BEAM	50.4
270A7250001	GIBSON	0A725	0.60	PARKER BRANCH	OPEN	3/18/2010	1995	35.928556	-88.898889	CONCRETE	CHANNEL BEAM	59.5
270A7380001	GIBSON	0A738	2.05	BRANCH OF BARNETT BRANCH	OPEN	3/18/2010	1994	35.879028	-88.940028	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	36.0
270A7450001	GIBSON	0A745	1.01	DUFFY BRANCH	WEIGHT POSTED	3/18/2010	1992	35.856806	-88.907278	CONCRETE	SLAB	46.7
270A7490001	GIBSON	0A749	0.31	LITTLE SUGAR CREEK	OPEN	3/23/2010	1993	35.835444	-88.880472	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	49.8
270A7520001	GIBSON	0A752	0.50	BRANCH OF SUGAR CREEK	WEIGHT POSTED	3/23/2010	1969	35.822528	-88.859917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.8
270A7520003	GIBSON	0A752	0.56	SUGAR CREEK	WEIGHT POSTED	3/23/2010	1975	35.821694	-88.859861	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.2
270A9250001	GIBSON	0A925	0.79	BRANCH	WEIGHT POSTED	3/23/2010	1970	35.861806	-88.979722	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	33.8
270A9490001	GIBSON	0A949	0.72	BRANCH OF BUCK CREEK	OPEN	3/22/2010	1970	35.947639	-89.042778	CONCRETE	CHANNEL BEAM	62.4
270A9560003	GIBSON	0A956	4.47	BR MID FORK FORKED DEER	WEIGHT POSTED	3/23/2010	1969	35.900972	-89.098500	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	26.7
270A9780001	GIBSON	0A978	2.35	BRANCH	WEIGHT POSTED	3/18/2010	1989	36.000389	-89.052528	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	34.2
28S62340001	GILES	01873	1.40	ELK RIVER	OPEN	4/9/2010	1989	35.013450	-87.911583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	43.3
280A0680001	GILES	0A068	0.02	BIG CREEK	OPEN	2/24/2010	1940	35.346900	-87.133583	CONCRETE	TEE BEAM	58.8
280A1770001	GILES	0A177	0.16	INDIAN CREEK	OPEN	4/5/2010	1948	35.102983	-86.867700	CONCRETE	TEE BEAM	63.0
280A2000001	GILES	0A200	3.25	BRADSHAW CREEK	WEIGHT POSTED	4/19/2010	1925	35.227250	-86.846333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.7
280A2340001	GILES	0A234	0.47	OLIVER BRANCH	OPEN	4/7/2010	1954	35.174950	-86.935967	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	61.9
280A2770001	GILES	0A277	0.23	CSX RAILROAD	CLOSED	3/29/2010	1935	35.012450	-86.839233	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	20.4
280A2960001	GILES	0A296	0.62	CSX RAILROAD	CLOSED	4/20/2010	1970	35.292000	-86.858833	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	15.0
280A3190003	GILES	0A319	2.25	PRETTY BRANCH	OPEN	3/24/2010	1954	35.081483	-87.002350	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	61.5
29025340001	GRAINGER	02534	0.15	RICHLAND CREEK	OPEN	4/19/2011	1975	36.182633	-83.677800	CONCRETE	CHANNEL BEAM	48.0
29025400001	GRAINGER	02540	0.91	BRANCH	OPEN	4/7/2011	1935	36.302067	-83.458183	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	64.4
29025400003	GRAINGER	02540	3.21	RICHLAND CREEK	OPEN	4/25/2011	1982	36.287567	-83.495000	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	61.4
290A0250001	GRAINGER	0A025	2.55	HOGSKINS CREEK	CLOSED	4/6/2011	1920	36.328033	-83.644983	STEEL	TRUSS - THRU	19.6
290A0250007	GRAINGER	0A025	3.25	WILLIAMS CREEK	WEIGHT POSTED	4/6/2011	1994	36.327583	-83.633717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.1
290A0250005	GRAINGER	0A025	3.98	WILLIAMS CREEK	WEIGHT POSTED	4/6/2011	1975	36.325350	-83.621817	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21.9
290A0260003	GRAINGER	0A026	2.01	HOGSKIN CREEK	WEIGHT POSTED	4/11/2011	1945	36.327733	-83.635117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	11.8

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
290A3650001	GRAINGER	0A365	0.09	RICHLAND CREEK	WEIGHT POSTED	4/14/2011	1915	36.252100	-83.583250	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.5
290A4080001	GRAINGER	0A408	0.69	RICHLAND CREEK	WEIGHT POSTED	4/19/2011	1935	36.166633	-83.684633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.6
290A6160001	GRAINGER	0A616	0.02	BRANCH	WEIGHT POSTED	4/18/2011	1950	36.284733	-83.535483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	19.7
30F00340009	GREENE	01344	6.73	MUD CREEK	OPEN	2/15/2011	1930	36.067767	-82.807400	CONCRETE	TEE BEAM	42.4
30025780001	GREENE	02578	2.89	NOLICHUCKY RIVER	WEIGHT POSTED	2/23/2011	1976	36.059650	-82.907017	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.3
30L38630001	GREENE	03863	1.72	BRANCH	OPEN	3/21/2011	1984	36.161617	-82.819483	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	48.1
300A1650001	GREENE	0A165	0.33	LICK CREEK	WEIGHT POSTED	1/19/2011	1970	36.250417	-82.877167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	27.4
300A6600005	GREENE	0A660	3.30	PAINT CREEK	OPEN	3/1/2011	1992	36.018150	-82.752967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	44.4
300A9340003	GREENE	0A934	2.06	MINK CREEK	OPEN	3/3/2011	1940	36.168550	-83.035967	CONCRETE CONTINUOUS	TEE BEAM	47.5
310A1640001	GRUNDY	0A164	0.15	MILL CREEK	WEIGHT POSTED	6/23/2010	1965	35.349267	-85.560733	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.2
310A4300001	GRUNDY	0A430	0.09	PEPPER HOLLOW BRANCH	OPEN	6/29/2010	1940	35.498483	-85.654067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.3
320A3140001	HAMBLEN	0A314	0.15	SPRING CREEK	OPEN	9/6/2011	1940	36.252117	-83.273367	CONCRETE	TEE BEAM	49.0
33S44470001	HAMILTON	01151	0.79	SALE CREEK	WEIGHT POSTED	3/24/2010	1954	35.393767	-85.097983	STEEL	TRUSS - THRU	26.0
33022190005	HAMILTON	02219	5.72	BIG POSSUM CREEK	OPEN	2/8/2010	1965	35.341350	-85.134750	STEEL	STRINGER/MULTI-BEAM OR GIRDER	64.3
33035560003	HAMILTON	03556	0.15	CSX RR & NORF. SOU. RR	WEIGHT POSTED	6/29/2011	1958	35.057300	-85.273533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	4.0
33035560004	HAMILTON	03556	0.15	CSX RR & SOUTHERN RR	WEIGHT POSTED	6/29/2011	1954	35.057350	-85.273617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.7
33035560007	HAMILTON	03556	3.97	CHICKAMAUGA CREEK	OPEN	6/16/2011	1952	35.048583	-85.214300	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	31.2
33L35660001	HAMILTON	03566	0.74	ABANDONED RR SPUR	OPEN	6/6/2011	1947	35.039650	-85.298200	STEEL	GIRDER AND FLOORBEAM SYSTEM	64.3
33M35990001	HAMILTON	03599	0.62	NORFOLK SOUTHERN RR	OPEN	6/2/2011	1955	35.074333	-85.253117	STEEL CONTINUOUS	GIRDER AND FLOORBEAM SYSTEM	48.5
33M36040001	HAMILTON	03604	0.70	FRIAR BRANCH	WEIGHT POSTED	5/10/2011	1976	35.058550	-85.170433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	19.6
330C4030001	HAMILTON	0C403	0.04	SHOAL CREEK	WEIGHT POSTED	3/9/2010	1977	35.135250	-85.331117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.3
330D6720001	HAMILTON	0D672	0.21	BACKWATER OF TN. RIVER	OPEN	3/31/2010	1983	35.043883	-85.350650	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.6
34025460003	HANCOCK	02546	6.96	BIG WAR CREEK	WEIGHT POSTED	8/4/2011	1970	36.454817	-83.241233	STEEL	STRINGER/MULTI-BEAM OR GIRDER	54.6
340A1350001	HANCOCK	0A135	0.70	BIG WAR CREEK	WEIGHT POSTED	8/10/2011	1970	36.461917	-83.188467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.0
350A1910001	HARDEMAN	0A191	0.16	BRANCH	OPEN	11/4/2010	1992	35.235333	-88.964472	CONCRETE	CHANNEL BEAM	53.8
350A2520003	HARDEMAN	0A252	2.78	EAST FORK SPRING CREEK	OPEN	11/9/2010	1959	35.074694	-89.022639	CONCRETE	CHANNEL BEAM	48.4
350A2960001	HARDEMAN	0A296	0.20	BRANCH	OPEN	11/8/2010	1992	35.337611	-88.806694	CONCRETE	CHANNEL BEAM	48.0
36008970003	HARDIN	00897	6.14	LICK CREEK	WEIGHT POSTED	8/24/2010	1940	35.115056	-88.316100	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.1
36017230003	HARDIN	01723	2.22	LITTLE TURKEY CREEK	OPEN	9/7/2010	1960	35.196333	-88.129167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.6
36017270009	HARDIN	01727	7.39	NORTH FORK MUD CREEK	WEIGHT POSTED	8/26/2010	1992	35.309944	-88.334278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.3

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
36017420003	HARDIN	01742	8.71	WHITES CREEK	OPEN	8/31/2010	1970	35.103056	-88.071333	CONCRETE	CHANNEL BEAM	52.1
36027020001	HARDIN	02702	0.10	WHITES CREEK	OPEN	8/30/2010	1965	35.104889	-88.075833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.1
360A3590003	HARDIN	05561	0.90	CHAMBERS CREEK	WEIGHT POSTED	8/30/2010	1965	35.025306	-88.307278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	23.8
360A0120001	HARDIN	0A012	1.08	DOLLAR CREEK	WEIGHT POSTED	9/13/2010	1950	35.241250	-88.353361	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	34.5
360A0410001	HARDIN	0A041	0.07	N FORK MUD CREEK	WEIGHT POSTED	9/8/2010	1960	35.305556	-88.372583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.3
360A0480001	HARDIN	0A048	2.21	CHALK CREEK	OPEN	9/7/2010	1970	35.322139	-88.252306	CONCRETE	CHANNEL BEAM	61.5
360A1930001	HARDIN	0A193	0.57	ENGLISH CREEK	WEIGHT POSTED	9/9/2010	1960	35.191722	-88.172500	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.8
360A2320001	HARDIN	0A232	0.19	CHOATE CREEK	WEIGHT POSTED	9/9/2010	1974	35.160500	-88.129639	STEEL	STRINGER/MULTI-BEAM OR GIRDER	33.7
360A2890001	HARDIN	0A289	1.32	MUD CREEK	OPEN	9/9/2010	1992	35.118861	-88.277111	STEEL	STRINGER/MULTI-BEAM OR GIRDER	75.2
360A3020003	HARDIN	0A302	2.49	MUD CREEK	WEIGHT POSTED	9/13/2010	1930	35.210778	-88.288944	STEEL	STRINGER/MULTI-BEAM OR GIRDER	26.4
360A3020005	HARDIN	0A302	6.38	MUD CREEK	WEIGHT POSTED	9/13/2010	1965	35.184194	-88.282889	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.5
360A3070001	HARDIN	0A307	0.02	HORSE CREEK	OPEN	9/8/2010	1965	35.136111	-88.014583	CONCRETE	TEE BEAM	87.7
360A3330001	HARDIN	0A333	1.16	LITTLE HURRICANE CREEK	OPEN	9/8/2010	1970	35.417667	-88.286389	CONCRETE	CHANNEL BEAM	61.5
360A4370001	HARDIN	0A437	0.48	GATTIS CREEK	WEIGHT POSTED	9/13/2010	1970	35.203667	-88.339306	STEEL	STRINGER/MULTI-BEAM OR GIRDER	19.4
37S23670007	HAWKINS	01175	12.58	HOLSTON RIVER	OPEN	6/21/2011	1964	36.515583	-82.724167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	20.2
37026040003	HAWKINS	02604	9.47	HOLSTON RIVER	WEIGHT POSTED	6/29/2011	1955	36.468650	-82.849017	STEEL	TRUSS - THRU	22.4
37SR0010005	HAWKINS	0A005	1.88	CLOUD CREEK	OPEN	6/27/2011	1942	36.385700	-83.101483	CONCRETE	TEE BEAM	58.7
37SR0010007	HAWKINS	0A005	2.93	CANEY CREEK	OPEN	6/27/2011	1937	36.385800	-82.082950	CONCRETE	TEE BEAM	49.1
370A0300001	HAWKINS	0A030	0.36	SOUTHERN RAILWAY	WEIGHT POSTED	7/20/2011	1935	36.254333	-83.086700	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	25.3
370A3520001	HAWKINS	0A352	0.45	SOUTHERN RAILWAY	OPEN	7/14/2011	1959	36.501733	-82.788117	CONCRETE CONTINUOUS	TEE BEAM	45.1
370A6820001	HAWKINS	0A682	0.02	BEECH CREEK	WEIGHT POSTED	6/13/2011	1955	36.387483	-82.843467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.1
370A7650001	HAWKINS	0A765	0.81	ROBERTSON CREEK	WEIGHT POSTED	6/2/2011	1940	36.328967	-83.066000	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21.6
38S80520013	HAYWOOD	01443	2.54	PRAIRIE CREEK	OPEN	4/14/2010	1960	35.468000	-89.309528	CONCRETE	CHANNEL BEAM	51.3
38015540001	HAYWOOD	01554	6.54	CYPRESS CREEK	WEIGHT POSTED	4/19/2010	1974	35.574639	-89.424806	CONCRETE	CHANNEL BEAM	33.9
380A0350001	HAYWOOD	0A035	0.55	BRANCH	OPEN	4/21/2010	1976	35.740222	-89.423528	CONCRETE	CHANNEL BEAM	22.4
380A0400001	HAYWOOD	0A040	0.75	LOST CREEK	WEIGHT POSTED	4/26/2010	1973	35.775917	-89.431722	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	34.2
380A1500001	HAYWOOD	0A150	0.57	BIG BLACK CREEK	OPEN	4/22/2010	1970	35.465056	-89.083361	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	40.9
380A1520001	HAYWOOD	0A152	3.48	BRANCH	OPEN	4/21/2010	1968	35.494417	-89.136167	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	39.7
380A1520003	HAYWOOD	0A152	4.36	JEFFERS CREEK	WEIGHT POSTED	4/21/2010	1965	35.484833	-89.130611	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	35.8
380A1730003	HAYWOOD	0A173	1.30	OVERFLOW	OPEN	4/26/2010	1982	35.468472	-89.233722	CONCRETE	CHANNEL BEAM	48.2
380A2960001	HAYWOOD	0A296	0.03	BRANCH	CLOSED	4/28/2010	1985	35.461667	-89.397917	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	19.9
39003070013	HENDERSON	01022	2.69	BRANCH	OPEN	10/18/2010	1979	35.557611	-88.285694	CONCRETE	CHANNEL BEAM	51.0
390A0030001	HENDERSON	0A003	0.77	DRY CREEK	WEIGHT POSTED	10/18/2010	1975	35.717417	-88.577500	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	32.4
390A0110001	HENDERSON	0A011	2.15	GURLEY CREEK	OPEN	10/18/2010	1978	35.761056	-88.600861	CONCRETE	CHANNEL BEAM	58.5

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
390A1620003	HENDERSON	0A162	2.07	SOUTH FORK DEER RIVER	WEIGHT POSTED	10/20/2010	1950	35.589944	-88.586611	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.7
390A2820001	HENDERSON	0A282	0.38	PINEY CREEK	OPEN	10/21/2010	1978	35.594222	-88.371556	CONCRETE	CHANNEL BEAM	52.8
390A3530001	HENDERSON	0A353	0.51	BROOKS CREEK	WEIGHT POSTED	10/25/2010	1976	35.444056	-88.358444	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	41.0
390A3540001	HENDERSON	0A354	1.10	BIG HURRICANE DRAINAGE	OPEN	10/25/2010	1965	35.468444	-88.337306	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	47.2
40S80240005	HENRY	00900	2.98	WEST SANDY CREEK	OPEN	5/26/2010	1996	36.228750	-88.264111	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	61.8
40S82370005	HENRY	01715	2.21	THOMPSON CREEK	OPEN	6/1/2010	1960	36.361028	-88.260694	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	51.8
40017150009	HENRY	01715	7.29	HOLLEY FORK CREEK	OPEN	6/1/2010	1968	36.419667	-88.267944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.4
40017340001	HENRY	01734	3.02	BIRD CREEK	WEIGHT POSTED	6/1/2010	1970	36.379194	-88.369500	CONCRETE	CHANNEL BEAM	16.4
400A0150001	HENRY	0A015	2.25	WALNUT FORK CREEK	OPEN	5/26/2010	1965	36.338167	-88.438278	CONCRETE	CHANNEL BEAM	34.8
400A0220001	HENRY	0A022	1.29	CANE CREEK	WEIGHT POSTED	6/1/2010	1981	36.360250	-88.501139	CONCRETE	CHANNEL BEAM	34.6
400A0720001	HENRY	0A072	1.64	CLEAR CREEK	OPEN	5/24/2010	1950	36.424639	-88.381833	CONCRETE	CHANNEL BEAM	66.9
400A0760001	HENRY	0A076	0.56	NORTH FORK OBION RIVER	WEIGHT POSTED	5/24/2010	1965	36.439917	-88.450472	CONCRETE	CHANNEL BEAM	45.7
400A1130005	HENRY	0A113	2.58	SUGAR CREEK	WEIGHT POSTED	5/26/2010	1984	36.481667	-88.466361	CONCRETE	CHANNEL BEAM	31.5
400A1130007	HENRY	0A113	3.82	TERRAPIN CREEK	WEIGHT POSTED	5/26/2010	1963	36.487194	-88.485667	CONCRETE	CHANNEL BEAM	33.1
400A1130009	HENRY	0A113	3.89	BRANCH	OPEN	5/19/2010	1998	36.486889	-88.487056	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	62.3
400A1780001	HENRY	0A178	1.36	HOLLEY FORK CREEK	OPEN	6/1/2010	1962	36.406111	-88.253972	CONCRETE	CHANNEL BEAM	54.2
400A1900001	HENRY	0A190	1.87	SOUTH FORK BLOOD RIVER	OPEN	6/1/2010	1955	36.431083	-88.239472	CONCRETE	CHANNEL BEAM	63.9
400A2030001	HENRY	0A203	0.67	CLARK BRANCH	OPEN	5/26/2010	1980	36.490722	-88.308417	CONCRETE	CHANNEL BEAM	65.9
400A2100001	HENRY	0A210	2.10	BLOOD RIVER	WEIGHT POSTED	6/1/2010	1972	36.473056	-88.195500	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	39.2
400A2180001	HENRY	0A218	0.77	RABBIT CREEK	WEIGHT POSTED	6/2/2010	1955	36.466139	-88.160528	CONCRETE	CHANNEL BEAM	49.0
400A3540001	HENRY	0A354	2.60	BEAR CREEK	OPEN	5/24/2010	1950	36.158389	-88.187694	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.3
400A5570003	HENRY	0A557	2.39	OVERFLOW	WEIGHT POSTED	5/25/2010	1950	36.259222	-88.469528	CONCRETE	CHANNEL BEAM	48.8
400A7760001	HENRY	0A776	0.05	BRANCH	CLOSED	6/2/2010	1968	36.305472	-88.286000	CONCRETE	CHANNEL BEAM	31.0
41F04700001	HICKMAN	00961	5.90	BRANCH	OPEN	11/24/2009	1930	35.844333	-87.480017	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	52.1
41F04700003	HICKMAN	00961	6.15	BIRD CREEK	OPEN	11/24/2009	1930	35.846700	-87.476850	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	44.3
41018460003	HICKMAN	01846	5.73	DUCK RIVER	OPEN	10/16/2009	1968	35.797833	-87.344200	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	76.2
41S62440001	HICKMAN	01848	1.81	HALEY CREEK	OPEN	10/13/2009	1950	35.785383	-87.423217	CONCRETE	TEE BEAM	46.2
410A0210001	HICKMAN	0A021	0.79	GOOSE BRANCH	WEIGHT POSTED	10/6/2009	1991	35.935617	-87.352383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	26.7
410A0610005	HICKMAN	0A081	2.29	LOCUST FORK	CLOSED	9/1/2009	1979	35.871200	-87.229317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	21.7
410A1050001	HICKMAN	0A105	1.31	CAVANDER CREEK	CLOSED	9/18/2009	1973	35.862267	-87.295700	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	16.2
410A0880001	HICKMAN	0A128	0.91	MILL CREEK	OPEN	9/12/2011	1964	35.901600	-87.323967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.5
410A1370001	HICKMAN	0A137	2.78	MILL CREEK	CLOSED	10/7/2009	1991	35.871067	-87.425283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	9.5
410A1650001	HICKMAN	0A170	0.00	MILL CREEK	WEIGHT POSTED	10/9/2009	1962	35.884367	-87.370617	CONCRETE	TEE BEAM	31.2
410A2600003	HICKMAN	0A260	0.80	BUCK BRANCH	WEIGHT POSTED	10/20/2009	1995	35.725900	-86.321500	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.4
410A2760001	HICKMAN	0A276	1.33	BIG SWAN CREEK	WEIGHT POSTED	10/19/2009	1991	35.731367	-87.415217	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21.8
410A3060001	HICKMAN	0A325	4.36	BEAVER DAM CREEK	OPEN	11/4/2009	1968	35.717983	-87.514900	CONCRETE	TEE BEAM	49.6

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
410A3300001	HICKMAN	0A330	0.24	INDIAN CREEK	OPEN	10/28/2009	1955	35.758233	-87.466100	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.5
41009590001	HICKMAN	0A352	4.63	DUCK RIVER	OPEN	12/4/2009	1962	35.815250	-87.626733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	41.1
410A0030003	HICKMAN	0A366	2.16	PINEY RIVER	OPEN	9/29/2009	1977	35.959450	-87.460150	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	50.0
410A5390001	HICKMAN	0A539	4.55	EAST FORK WOLF CREEK	WEIGHT POSTED	11/23/2009	1948	35.799100	-87.676867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.4
410A3670003	HICKMAN	0A542	7.49	BLOWING SPRINGS	OPEN	11/13/2009	1960	35.787383	-87.634283	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	49.7
410A5720001	HICKMAN	0A572	0.11	UPPER SINKING CREEK	CLOSED	11/20/2009	1995	35.667917	-87.651583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	15.4
410X4000001	HICKMAN	0A748	0.01	INDIAN CREEK	WEIGHT POSTED	10/28/2009	1991	35.742133	-87.472567	STEEL	STRINGER/MULTI-BEAM OR GIRDER	23.1
420A4100001	HOUSTON	0A410	0.09	POLLARD BRANCH	CLOSED	5/12/2010	1984	36.266600	-87.668667	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	16.6
430A3160001	HUMPHREYS	00910	15.71	DUCK RIVER	OPEN	8/27/2010	1964	36.042667	-87.853617	STEEL	TRUSS - THRU	29.4
43S63480015	HUMPHREYS	00925	8.11	PUMPKIN CREEK	CLOSED	8/25/2010	1958	36.028083	-87.820883	STEEL	STRINGER/MULTI-BEAM OR GIRDER	19.0
43017810005	HUMPHREYS	01781	4.15	WHITE OAK CREEK	WEIGHT POSTED	7/8/2010	1928	36.227100	-87.766617	CONCRETE	ARCH - DECK	4.7
43017940001	HUMPHREYS	01794	0.10	NORTH FORK BLUE CREEK	OPEN	8/24/2010	1968	35.865517	-87.905250	CONCRETE	TEE BEAM	30.5
43018020003	HUMPHREYS	01802	3.48	LITTLE BLUE CREEK	CLOSED	8/25/2010	1968	36.071950	-87.726633	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	25.4
43018060007	HUMPHREYS	01806	5.45	TRACE CREEK	OPEN	8/9/2010	1972	36.122167	-87.683567	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	53.9
43018100001	HUMPHREYS	01810	2.17	LITTLE RICHLAND CREEK	WEIGHT POSTED	8/23/2010	1991	36.141083	-87.845850	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.5
430A1710001	HUMPHREYS	0A171	0.04	WHITE OAK CREEK	OPEN	7/21/2010	1978	36.188767	-87.629483	CONCRETE	CHANNEL BEAM	64.8
430A2230001	HUMPHREYS	0A223	0.05	INDIAN CREEK	WEIGHT POSTED	8/23/2010	1988	35.991350	-87.600667	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	32.9
430A2390001	HUMPHREYS	0A239	2.02	TUMBLING CREEK	OPEN	8/26/2010	1980	35.945683	-87.720067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	51.9
430A2390005	HUMPHREYS	0A239	3.14	TUMBLING CREEK	OPEN	8/26/2010	1980	35.942100	-87.716183	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	51.9
430A2430001	HUMPHREYS	0A243	0.00	TUMBLING CREEK	OPEN	8/26/2010	1980	35.933000	-87.730833	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	52.8
430A2560001	HUMPHREYS	0A256	1.28	BRANCH	CLOSED	7/18/2011	1992	36.021583	-87.706667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.8
430A2760001	HUMPHREYS	0A276	0.09	BLUE CREEK	WEIGHT POSTED	8/23/2010	1998	36.060583	-87.756383	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	30.3
430A2790001	HUMPHREYS	0A279	0.17	BLUE CREEK	WEIGHT POSTED	8/24/2010	1989	36.060017	-87.739667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	26.2
430A3410001	HUMPHREYS	0A341	0.49	HURRICANE CREEK	OPEN	9/14/2010	1964	35.964150	-87.811133	CONCRETE	TEE BEAM	47.4
43S63270001	HUMPHREYS	0A658	0.22	CSX RAILROAD	OPEN	7/30/2010	1960	36.023683	-87.962283	CONCRETE	TEE BEAM	82.3
44022440005	JACKSON	02244	5.39	BLACKBURN FORK	CLOSED	4/18/2011	1965	36.289600	-85.563650	STEEL	STRINGER/MULTI-BEAM OR GIRDER	15.9
440A0210001	JACKSON	0A021	0.50	WARTRACE CREEK	WEIGHT POSTED	5/26/2011	1970	36.406350	-85.821000	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.7
440A1400001	JACKSON	0A140	0.03	SPRING CREEK	CLOSED	6/9/2011	1965	36.338783	-85.520283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	15.2
440A1450001	JACKSON	0A145	0.93	ROARING RIVER	CLOSED	5/9/2011	1974	36.345600	-85.506700	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.7

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
440A1830001	JACKSON	0A183	0.24	BLACKBURN FORK CREEK	CLOSED	5/2/2011	1950	36.236167	-85.570817	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.8
440A3910001	JACKSON	0A391	0.01	OAK ST. OVER DOE CREEK	WEIGHT POSTED	6/8/2011	1935	36.346617	-85.658050	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.0
44022520001	JACKSON	0A593	10.36	BRIMSTONE CREEK	WEIGHT POSTED	7/18/2011	1930	36.479183	-85.609283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.7
450A4650001	JEFFERSON	01430	0.18	LONG CREEK	OPEN	5/16/2011	1965	36.079633	-83.372167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.7
45024530005	JEFFERSON	02453	7.54	LEWIS CREEK	WEIGHT POSTED	5/3/2011	1934	36.115217	-83.601883	CONCRETE	SLAB	28.7
45024570001	JEFFERSON	02457	0.13	LONG CREEK	WEIGHT POSTED	5/19/2011	1938	36.112633	-83.296867	STEEL	STRINGER/MULTI-BEAM OR GIRDER	17.7
45025000001	JEFFERSON	02500	1.39	KOONTZ CREEK	WEIGHT POSTED	5/16/2011	1950	36.050383	-83.385333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	27.1
45025100003	JEFFERSON	02510	0.10	LOST CREEK	OPEN	5/3/2011	1940	36.090933	-83.541517	CONCRETE	SLAB	54.2
45025100001	JEFFERSON	02510	1.88	LOST CREEK	WEIGHT POSTED	5/3/2011	1940	36.080450	-83.515017	CONCRETE CONTINUOUS	SLAB	29.9
45025160001	JEFFERSON	02516	1.37	CARTER CREEK	OPEN	5/16/2011	1918	36.118017	-83.314983	CONCRETE	TEE BEAM	44.9
45F00290003	JEFFERSON	02716	0.55	SOUTHERN RAILWAY	WEIGHT POSTED	5/5/2011	1945	36.130317	-83.482183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	5.0
450A0820001	JEFFERSON	0A082	1.87	LOST CREEK	WEIGHT POSTED	5/2/2011	1942	36.100667	-83.611583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.1
45S24130001	JEFFERSON	0A137	0.07	PIEDMONT BRANCH	OPEN	5/11/2011	1940	36.021800	-83.532100	CONCRETE	TEE BEAM	42.4
450A4820001	JEFFERSON	0A482	0.03	DUMPLIN CREEK	WEIGHT POSTED	5/9/2011	1938	36.061600	-83.455250	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.5
450A5790001	JEFFERSON	0A579	0.36	LONG CREEK	WEIGHT POSTED	5/16/2011	1952	36.092067	-83.333317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.7
450A8970001	JEFFERSON	0A897	0.05	LOST CREEK	OPEN	5/9/2011	1960	36.080383	-83.507433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	54.3
46S25410003	JOHNSON	02613	0.43	VAUGHT CREEK	WEIGHT POSTED	5/4/2010	1928	36.411556	-81.831972	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.9
460A0550001	JOHNSON	0A055	0.22	DOE CREEK	WEIGHT POSTED	5/4/2010	1965	36.419050	-81.950550	STEEL	STRINGER/MULTI-BEAM OR GIRDER	12.9
460A0640001	JOHNSON	0A064	0.10	DOE CREEK	OPEN	5/4/2010	1975	36.448389	-81.920944	STEEL	STRINGER/MULTI-BEAM OR GIRDER	62.7
460A1330001	JOHNSON	0A125	0.84	FURNACE CREEK	WEIGHT POSTED	5/19/2010	1970	36.493233	-81.793117	STEEL	STRINGER/MULTI-BEAM OR GIRDER	27.5
460B4330001	JOHNSON	0A184	0.01	DOE CREEK	WEIGHT POSTED	5/4/2010	2005	36.421200	-81.948783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.8
460A2620001	JOHNSON	0A262	0.35	GENTRY CREEK	OPEN	5/20/2010	1939	36.556633	-81.748933	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.0
460A2960001	JOHNSON	0A296	0.01	FORGE CREEK	OPEN	5/18/2010	1970	36.467267	-81.733167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	51.0
460A2970003	JOHNSON	0A297	1.87	FORGE CREEK	WEIGHT POSTED	5/18/2010	1955	36.451433	-81.759767	CONCRETE	SLAB	33.4
460A2970005	JOHNSON	0A302	0.18	FORGE CREEK	OPEN	5/18/2010	1978	36.453033	-81.880100	CONCRETE	SLAB	61.5
460A3750001	JOHNSON	0A375	0.34	ROAN CREEK	WEIGHT POSTED	5/18/2010	1962	36.395783	-81.848367	STEEL	STRINGER/MULTI-BEAM OR GIRDER	38.9
460A4090001	JOHNSON	0A409	4.35	ROAN CREEK	OPEN	5/6/2010	1975	36.375417	-81.927283	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.4
47S24120007	KNOX	01289	9.44	LITTLE FLAT CREEK	WEIGHT POSTED	5/25/2010	1952	36.130617	-83.784867	CONCRETE	TEE BEAM	36.0
47L37740001	KNOX	03774	1.92	THIRD CREEK	OPEN	5/26/2010	1965	35.951383	-83.968483	CONCRETE	CHANNEL BEAM	55.7
470A1220003	KNOX	04175	0.37	LOVE CREEK	OPEN	5/10/2010	1935	36.022867	-83.860017	CONCRETE	SLAB	45.2
47SR1580013	KNOX	0A129	0.09	SR 158 & NFA A140	CLOSED	6/8/2010	1935	35.961750	-83.914467	CONCRETE	ARCH - DECK	2.0
470A1160003	KNOX	0A166	0.81	FLENNLKEN BR	OPEN	4/5/2010	1940	35.908250	-83.940583	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.3
470B0960001	KNOX	0B096	0.11	BRANCH	OPEN	6/24/2010	1967	35.995483	-83.998133	CONCRETE	CHANNEL BEAM	54.7

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
470B2120001	KNOX	0B212	0.01	FIRST CREEK	OPEN	5/18/2010	1930	36.020283	-83.924233	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	50.0
470B3590001	KNOX	0B359	0.07	HOLBROOK DR / B363	OPEN	5/10/2010	1935	36.036983	-83.935467	CONCRETE	TEE BEAM	53.7
470C5600001	KNOX	0C560	0.33	FIRST CREEK	OPEN	6/29/2010	1924	35.985100	-83.916100	CONCRETE	TEE BEAM	59.6
470C8700001	KNOX	0C870	0.05	ABANDONED RR	WEIGHT POSTED	6/22/2010	1930	35.972650	-83.911733	CONCRETE	SLAB	39.2
470C8990001	KNOX	0C899	0.24	RAMP TO GAY ST/GROUND	OPEN	6/22/2010	1919	35.968367	-83.921717	CONCRETE	TEE BEAM	38.9
470C8990003	KNOX	0C899	0.26	RAMP TO GAY ST/GROUND	WEIGHT POSTED	6/22/2010	1919	35.968883	-83.920683	CONCRETE	TEE BEAM	2.0
470E3840001	KNOX	0E384	0.16	BULL RUN CREEK	OPEN	6/3/2010	1924	36.085017	-84.023100	CONCRETE	TEE BEAM	43.2
480A0370001	LAKE	02155	5.93	RUNNING REELFOOT BAYOU	OPEN	10/6/2010	1991	36.331611	-89.400833	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	64.6
480A0590003	LAKE	0A186	0.62	RUNNING REELFOOT BAYOU	CLOSED	10/6/2010	1935	36.197917	-89.510733	STEEL	STRINGER/MULTI-BEAM OR GIRDER	26.9
49F00110003	LAUDERDALE	00821	2.07	OVERFLOW	CLOSED	7/15/2010	1955	35.880778	-89.358528	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.0
49F00110005	LAUDERDALE	00821	2.32	OVERFLOW	OPEN	1/12/2011	1972	35.880817	-89.354050	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.3
49F00110011	LAUDERDALE	00821	2.66	OVERFLOW	OPEN	7/15/2010	1960	35.880750	-89.347944	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	55.4
49S82160001	LAUDERDALE	00822	1.17	BRANCH	OPEN	7/20/2010	1950	35.868861	-89.379056	CONCRETE	CHANNEL BEAM	47.7
49S82160003	LAUDERDALE	00823	2.30	SUMROW CREEK	OPEN	7/14/2010	1991	35.864556	-89.376000	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	63.0
49014820005	LAUDERDALE	01482	0.42	BRANCH	WEIGHT POSTED	7/13/2010	1975	35.673556	-89.564611	CONCRETE	CHANNEL BEAM	35.1
49014870001	LAUDERDALE	01487	1.05	COLD CREEK	WEIGHT POSTED	7/19/2010	1970	35.698194	-89.716333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.9
49S80260007	LAUDERDALE	01495	2.28	CHAMBERS BRANCH	WEIGHT POSTED	7/15/2010	1931	35.933111	-89.442194	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.7
490A0010003	LAUDERDALE	0A001	0.97	BRANCH	WEIGHT POSTED	7/14/2010	1976	35.663694	-89.605444	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.2
490A0140001	LAUDERDALE	0A014	4.40	COLD CREEK	OPEN	7/19/2010	1998	35.693083	-89.804167	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	92.9
490A0250001	LAUDERDALE	0A025	2.67	COTTON SLOUGH	OPEN	7/21/2010	1970	35.686889	-89.859417	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	61.7
490A0480003	LAUDERDALE	0A048	0.62	BRANCH OF CANE CREEK	WEIGHT POSTED	7/20/2010	1970	35.740194	-89.650028	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.2
490A0480007	LAUDERDALE	0A048	2.68	BRANCH OF CANE CREEK	WEIGHT POSTED	7/20/2010	1970	35.719889	-89.648139	STEEL	STRINGER/MULTI-BEAM OR GIRDER	27.7
490A0680003	LAUDERDALE	0A068	1.07	HYDE CREEK	WEIGHT POSTED	7/27/2010	1976	35.736306	-89.553889	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.3
490A0810003	LAUDERDALE	0A081	6.18	OVERFLOW	WEIGHT POSTED	7/21/2010	1958	35.829972	-89.606222	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.4
490A1210003	LAUDERDALE	0A121	3.80	KNOB CREEK	OPEN	7/21/2010	1970	35.880361	-89.569833	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	48.3
490A1400001	LAUDERDALE	0A140	1.91	BRANCH	WEIGHT POSTED	7/27/2010	1975	35.883944	-89.484000	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.0
490A1420005	LAUDERDALE	0A142	1.91	BRANCH	OPEN	8/17/2010	1970	35.937500	-89.485278	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	38.9
490A2570003	LAUDERDALE	0A257	0.39	BRANCH	WEIGHT POSTED	7/22/2010	1984	35.847111	-89.394278	STEEL	STRINGER/MULTI-BEAM OR GIRDER	46.7
490A2660001	LAUDERDALE	0A266	0.29	BRANCH	OPEN	5/17/2011	1970	35.818028	-89.457000	STEEL	STRINGER/MULTI-BEAM OR GIRDER	34.9
490A2660003	LAUDERDALE	0A266	0.48	TISDALE CREEK	WEIGHT POSTED	7/26/2010	1975	35.818889	-89.460611	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	42.8
490A2910007	LAUDERDALE	0A291	0.60	BRANCH	WEIGHT POSTED	7/26/2010	1974	35.766222	-89.495611	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	41.6

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
490A3160003	LAUDERDALE	0A316	1.41	BRANCH OF HATCHIE RIVER	CLOSED	7/27/2010	1970	35.621667	-89.532306	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.0
490A3160007	LAUDERDALE	0A316	4.41	OVERFLOW	OPEN	8/17/2010	1973	35.634639	-89.513583	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	32.9
490A3190001	LAUDERDALE	0A319	0.80	BRANCH	WEIGHT POSTED	7/26/2010	1975	35.651944	-89.507778	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	34.6
490A3190003	LAUDERDALE	0A319	1.45	BRANCH	WEIGHT POSTED	7/26/2010	1970	35.655889	-89.518083	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	34.5
490A3190005	LAUDERDALE	0A319	1.58	BRANCH	CLOSED	7/26/2010	1975	35.656861	-89.520083	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	29.5
49014880001	LAUDERDALE	0A523	2.39	BRANCH	WEIGHT POSTED	7/27/2010	1955	35.736056	-89.489750	STEEL	STRINGER/MULTI-BEAM OR GIRDER	26.7
500A5660001	LAWRENCE	0A566	0.96	CHISOLM CREEK	CLOSED	5/12/2011	1975	35.202250	-87.556067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.6
51S61780003	LEWIS	01842	2.69	INDIAN CREEK	OPEN	4/7/2010	1931	35.600100	-87.499350	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	48.1
510A0980001	LEWIS	0A098	0.33	BUFFALO RIVER	WEIGHT POSTED	4/21/2010	1965	35.449533	-87.569250	STEEL	STRINGER/MULTI-BEAM OR GIRDER	26.6
52S62410001	LINCOLN	01033	0.53	STEWARTS CREEK	OPEN	9/12/2011	1960	35.117100	-86.537467	CONCRETE	TEE BEAM	52.6
520A1760001	LINCOLN	0A001	0.28	EAST FORK MULBERRY CREEK	WEIGHT POSTED	9/18/2009	1947	35.219017	-86.427700	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.3
520A1650001	LINCOLN	0A165	0.06	BRANCH	OPEN	9/8/2009	1945	35.168917	-86.529533	CONCRETE	TEE BEAM	45.5
520A2240001	LINCOLN	0A224	0.08	HESTER CREEK	WEIGHT POSTED	8/27/2009	1950	35.009017	-86.363800	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	37.0
52056810001	LINCOLN	0A405	2.00	ELK RIVER	CLOSED	6/29/2010	1901	35.133389	-86.583417	STEEL	TRUSS - THRU	0.0
53S24230001	LOUDON	01220	1.70	CLOYD CREEK	OPEN	8/25/2010	1952	35.750850	-84.174117	CONCRETE	TEE BEAM	42.9
530A1500001	LOUDON	04354	0.05	TOWN CREEK	OPEN	8/26/2010	1935	35.717600	-84.271117	CONCRETE	TEE BEAM	44.0
530A0570003	LOUDON	0A592	3.01	BACON CREEK	OPEN	8/18/2010	1930	35.676733	-84.405800	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	56.6
530A6010003	LOUDON	0A601	0.33	BRANCH	OPEN	8/16/2010	1938	35.682500	-84.405183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.9
530A5940001	LOUDON	0A808	0.17	BACON CREEK	OPEN	8/18/2010	1930	35.675283	-84.404450	CONCRETE	TEE BEAM	51.2
56020870003	MACON	02087	1.10	BRANCH	OPEN	9/9/2009	1965	36.432933	-85.936967	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	57.3
560A1310001	MACON	0A131	0.08	PUNCHEON CREEK	WEIGHT POSTED	8/16/2011	1950	36.569417	-86.036150	STEEL	STRINGER/MULTI-BEAM OR GIRDER	26.3
57S82200005	MADISON	00875	6.03	TRACE CREEK	OPEN	9/7/2011	1942	35.686056	-88.646806	CONCRETE	CHANNEL BEAM	47.8
57S82050003	MADISON	00879	1.71	BRANCH	CLOSED	7/6/2011	1942	35.741083	-88.876944	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	10.1
57016290001	MADISON	01629	7.60	OVERFLOW	WEIGHT POSTED	1/25/2010	1960	35.563389	-88.846639	CONCRETE	CHANNEL BEAM	18.9
57SR0010023	MADISON	03043	1.05	BRANCH	OPEN	9/7/2011	1930	35.614639	-88.824278	MASONRY	ARCH - DECK	36.0
57M30580001	MADISON	03058	0.29	WEST TENNESSEE RR	OPEN	9/7/2011	1950	35.616944	-88.811556	CONCRETE	TEE BEAM	56.2
570A1660007	MADISON	0A166	3.29	OVERFLOW	WEIGHT POSTED	1/27/2010	1968	35.769167	-88.692667	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	42.9
570A1870001	MADISON	0A187	1.97	COTTON GROVE CREEK	WEIGHT POSTED	2/18/2010	1975	35.701861	-88.669722	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	40.9
570A2240003	MADISON	0A224	1.00	BRANCH	OPEN	2/17/2010	1965	35.743972	-88.930361	CONCRETE	CHANNEL BEAM	60.5
570A3640001	MADISON	0A364	0.18	OVERFLOW	WEIGHT POSTED	2/16/2010	1945	35.445944	-88.873472	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	29.0
570A3670001	MADISON	0A367	1.44	LACKEY CREEK	CLOSED	2/16/2010	1978	35.528583	-88.885889	CONCRETE	CHANNEL BEAM	29.4
570A3730007	MADISON	0A373	6.01	BRANCH	OPEN	2/11/2010	1970	35.442194	-88.968139	CONCRETE	CHANNEL BEAM	56.1
570A3860001	MADISON	0A386	0.17	MUDDY CREEK	WEIGHT POSTED	2/16/2010	1970	35.443389	-89.042250	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	48.8
57016440007	MADISON	0A980	0.33	OVERFLOW	OPEN	2/3/2010	1922	35.616028	-88.856139	CONCRETE	TEE BEAM	40.9
57016440011	MADISON	0A980	0.62	OVERFLOW	OPEN	2/4/2010	1922	35.614861	-88.861056	CONCRETE	TEE BEAM	40.9
57016440013	MADISON	0A980	0.72	OVERFLOW	OPEN	2/10/2010	1922	35.614083	-88.862667	CONCRETE	TEE BEAM	38.7

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
57M30570003	MADISON	0B510	0.78	EASTERN ST / ANDERSON BR	OPEN	2/3/2010	1930	35.605861	-88.807500	CONCRETE	TEE BEAM	53.2
58021530003	MARION	02153	0.58	DRY CREEK	OPEN	12/20/2010	1979	34.999100	-85.807267	ALUMINUM, WROUGHT OR CAST IRON	CULVERT (INCLUDES FRAME CULVERTS)	62.4
590A2730001	MARSHALL	0A273	0.41	CSX RAILROAD	CLOSED	9/9/2010	1950	35.362583	-86.083689	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	18.7
60009740001	MAURY	00974	2.27	LEIPERS CREEK	CLOSED	9/23/2010	1955	35.794850	-87.126967	CONCRETE	TEE BEAM	10.4
60018970003	MAURY	01897	2.53	DUCK RIVER	OPEN	1/18/2011	1962	35.573233	-86.922133	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	60.4
600A2210001	MAURY	01924	1.07	FOUNTAIN CREEK	WEIGHT POSTED	2/14/2011	1963	35.518000	-86.942083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.1
60SR0060001	MAURY	02733	2.09	RATTLESNAKE FALLS BRANCH	OPEN	1/27/2011	1925	35.474733	-87.248833	CONCRETE	SLAB	58.9
60SR0060005	MAURY	02733	3.18	TENNESSEE SOUTHERN RR	OPEN	1/27/2011	1925	35.486067	-87.235967	CONCRETE	TEE BEAM	35.4
600A0480001	MAURY	0A048	0.04	LEIPERS CREEK	OPEN	1/20/2011	1940	35.799383	-87.122667	CONCRETE	TEE BEAM	49.0
600A0510001	MAURY	0A051	0.12	LEIPERS CREEK	WEIGHT POSTED	1/25/2010	1950	35.762350	-87.186033	CONCRETE	TEE BEAM	50.2
600A0600001	MAURY	0A060	0.01	FOX BRANCH	CLOSED	12/14/2010	1956	35.804617	-87.100750	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.9
60019050003	MAURY	0A064	3.76	DUCK RIVER	OPEN	2/3/2011	1963	35.672167	-87.128700	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	70.3
60019050005	MAURY	0A064	7.38	KNOB CREEK	OPEN	2/3/2011	1920	35.674667	-87.078850	CONCRETE	ARCH - DECK	55.9
600A0680001	MAURY	0A068	1.19	LEIPERS CREEK	WEIGHT POSTED	1/20/2011	1958	35.802967	-87.088667	CONCRETE	TEE BEAM	47.7
600A0870003	MAURY	0A087	1.18	KNOB CREEK	WEIGHT POSTED	9/23/2010	1940	35.702550	-87.081500	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.8
600A0880003	MAURY	0A088	2.97	SNOW CREEK	WEIGHT POSTED	11/8/2010	1930	35.736083	-87.109733	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.4
600A1630001	MAURY	0A163	0.72	LYTLE CREEK	OPEN	1/28/2011	1950	35.621283	-87.016983	STEEL	STRINGER/MULTI-BEAM OR GIRDER	56.8
600A1890001	MAURY	0A189	0.30	CEDAR CREEK	OPEN	10/28/2010	1940	35.546767	-86.842750	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	62.5
600A3260005	MAURY	0A326	0.04	S. FK. FOUNTAIN CREEK	OPEN	11/5/2010	1944	35.446750	-86.988567	CONCRETE	TEE BEAM	39.2
600A3260001	MAURY	0A326	1.13	CAMPBELL STATION BRANCH	OPEN	11/5/2010	1935	35.433817	-86.977933	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	46.2
600A3580001	MAURY	0A358	0.42	BIG BIGBY BRANCH	WEIGHT POSTED	2/14/2011	1916	35.483200	-87.242483	CONCRETE	ARCH - DECK	17.4
600A3750001	MAURY	0A375	0.18	W. FORK BIG BIGBY CREEK	WEIGHT POSTED	12/30/2010	1950	35.527817	-87.261300	CONCRETE	TEE BEAM	43.5
600A4080001	MAURY	0A408	1.31	BIG BIGBY CREEK	OPEN	2/3/2011	1930	35.585483	-87.184133	CONCRETE	TEE BEAM	45.1
600A4120001	MAURY	0A412	0.76	DOG BRANCH	OPEN	1/24/2011	1940	35.577933	-87.238117	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	59.5
600A4150001	MAURY	0A415	0.01	BAPTIST BRANCH	OPEN	1/25/2011	1945	35.567617	-87.294100	CONCRETE	TEE BEAM	42.4
600A4240003	MAURY	0A424	2.15	BAPTIST CREEK	OPEN	1/31/2011	1934	35.595950	-87.291417	CONCRETE	ARCH - DECK	46.7
600A4290001	MAURY	0A429	1.35	DRY FORK	OPEN	1/31/2011	1939	35.600933	-87.332317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	50.9
600A4330001	MAURY	0A433	0.01	CATHEYS CREEK	OPEN	1/31/2011	1935	35.633067	-87.305450	CONCRETE	ARCH - DECK	49.4
60009700009	MAURY	0A570	1.05	DUCK RIVER	CLOSED	10/27/2010	1965	35.574883	-86.867400	CONCRETE CONTINUOUS	TEE BEAM	33.8
600A1910005	MAURY	0A614	1.43	GOOSE CREEK	WEIGHT POSTED	2/3/2011	1923	35.569667	-86.985883	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	31.7
600B0210003	MAURY	0B021	1.58	SNOW CREEK	CLOSED	9/21/2010	1913	35.694800	-87.188300	CONCRETE	ARCH - DECK	31.7
55S80860005	McNAIRY	00876	0.59	OVERFLOW	WEIGHT POSTED	12/13/2010	1966	35.075611	-88.628861	CONCRETE	CHANNEL BEAM	22.1
550A0070001	McNAIRY	01631	0.99	WOODVILLE CREEK	OPEN	1/6/2011	1970	35.230639	-88.743056	CONCRETE	CHANNEL BEAM	45.5
55F00080001	McNAIRY	05566	9.29	LITTLE SNAKE CREEK	OPEN	12/21/2010	1965	35.246028	-88.491778	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	48.4
550A0420001	McNAIRY	0A042	0.28	N FORK DRAINAGE CANAL	OPEN	12/20/2010	1977	35.316306	-88.379417	CONCRETE	CHANNEL BEAM	55.5
550A0520001	McNAIRY	0A052	0.10	CYPRESS CREEK	OPEN	1/18/2011	1993	35.255417	-88.625583	CONCRETE	CHANNEL BEAM	38.7
550A0820003	McNAIRY	0A082	6.56	DRY CREEK	CLOSED	1/6/2011	1970	35.300444	-88.474333	CONCRETE	CHANNEL BEAM	22.1
550A1480003	McNAIRY	0A148	0.52	CYPRESS CREEK	WEIGHT POSTED	12/29/2010	1965	35.207833	-88.594972	STEEL	STRINGER/MULTI-BEAM OR GIRDER	33.9
550A2360001	McNAIRY	0A236	2.17	CROOKED CREEK	OPEN	1/6/2011	1975	35.171917	-88.540500	CONCRETE	CHANNEL BEAM	56.0

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
550A2560001	McNAIRY	0A256	0.59	MUDDY CREEK	OPEN	1/19/2011	1975	35.090056	-88.507417	CONCRETE	CHANNEL BEAM	62.5
550A3380005	McNAIRY	0A338	0.25	OVERFLOW	OPEN	1/24/2011	1940	35.037806	-88.563139	STEEL	STRINGER/MULTI-BEAM OR GIRDER	61.5
550A7660001	McNAIRY	0A766	1.70	OXFORD CREEK	OPEN	1/13/2011	1965	35.141972	-88.534639	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.4
610A0220001	MEIGS	0A022	1.06	SEWEE CREEK	WEIGHT POSTED	6/1/2011	1884	35.578050	-84.759500	STEEL	TRUSS - THRU	19.8
61022750011	MEIGS	0A066	2.09	HURRICANE CREEK	WEIGHT POSTED	6/28/2011	1967	35.641333	-84.672833	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.0
610A1180001	MEIGS	0A118	0.04	BIG SEWEE CREEK	WEIGHT POSTED	6/27/2011	1973	35.643367	-84.637667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.3
61SR0300001	MEIGS	0A733	0.37	DECATUR BRANCH	OPEN	6/29/2011	1931	35.513333	-84.795000	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	23.2
62F00010005	MONROE	01139	10.00	MULBERRY CREEK	OPEN	7/29/2010	1978	35.542417	-84.058667	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	64.4
62012060005	MONROE	01206	4.05	FORK CREEK	OPEN	8/9/2010	1937	35.570367	-84.416350	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	31.5
62023440001	MONROE	02344	1.27	NORTH FORK NOTCHY CREEK	OPEN	8/10/2010	1970	35.518983	-84.295500	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	64.2
620A0330001	MONROE	0A116	1.85	SWEETWATER CREEK	OPEN	7/27/2010	1910	35.575467	-84.486933	CONCRETE	ARCH - DECK	42.0
620A3340001	MONROE	0A334	0.46	BALL PLAY CREEK	WEIGHT POSTED	7/28/2010	1975	35.451450	-84.178533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.7
620A4540001	MONROE	0A454	2.00	COKER CREEK	WEIGHT POSTED	7/20/2010	1968	35.233067	-84.318467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.6
63018610001	MONTGOMERY	01861	2.80	BUDD'S CREEK	OPEN	1/20/2011	1978	36.432767	-87.436600	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	75.4
630A6090001	MONTGOMERY	0A006	0.03	BLOOMING GROVE CREEK	OPEN	12/17/2010	1980	36.493750	-87.555350	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.6
630A3310001	MONTGOMERY	0A331	1.75	BIG MCADOO CREEK	OPEN	1/5/2011	1965	36.463467	-87.275017	CONCRETE	TEE BEAM	45.2
640A0830001	MOORE	0A083	0.52	TURKEY CREEK	OPEN	6/23/2010	1975	35.300917	-86.273944	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	50.5
65S44250001	MORGAN	00916	6.20	ROCK CREEK	OPEN	3/1/2011	1939	36.270650	-84.822683	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.3
65023780007	MORGAN	02378	8.61	HALL BRANCH	OPEN	3/18/2011	1920	36.031600	-84.569300	CONCRETE	SLAB	45.4
650A3530003	MORGAN	0A353	0.48	FORKED CREEK	OPEN	3/8/2011	1930	36.006117	-84.511317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	59.2
650A4150001	MORGAN	0A461	0.05	SCUTCHEON CREEK	OPEN	3/2/2011	1950	36.138450	-84.629900	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.6
66S81650003	OBION	01433	4.22	BROWNS CREEK	OPEN	8/10/2011	1958	36.242583	-89.425167	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	47.2
66015250001	OBION	01525	2.21	OVERFLOW	OPEN	8/10/2011	1970	36.277889	-88.982639	CONCRETE	CHANNEL BEAM	45.2
66015280003	OBION	01528	0.50	DAVIDSON CREEK	OPEN	8/10/2011	1975	36.368944	-89.134083	CONCRETE	CHANNEL BEAM	48.6
660A8100003	OBION	02122	4.42	OVERFLOW (GWMA)	OPEN	8/15/2011	1989	36.264944	-89.117056	CONCRETE	CHANNEL BEAM	44.0
66F00250003	OBION	02122	5.19	OLD OBION RIVER BED	OPEN	8/15/2011	1960	36.274722	-89.122972	CONCRETE	CHANNEL BEAM	51.7
660A2330001	OBION	0A233	0.31	SOUTH FORK HARRIS FK CR	WEIGHT POSTED	8/23/2011	1965	36.500722	-88.875028	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.7
660A2830003	OBION	0A283	0.52	BRANCH	OPEN	8/23/2011	1984	36.428083	-89.025722	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.7
660A5500001	OBION	0A550	2.58	GRASS CREEK	CLOSED	8/17/2011	1978	36.224500	-89.060694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	36.9
660A6180001	OBION	0A618	0.08	RICHLAND CREEK	OPEN	8/22/2011	1960	36.292194	-89.216194	CONCRETE	CHANNEL BEAM	61.5
660A6780001	OBION	0A678	1.38	ZION CREEK	OPEN	8/22/2011	1975	36.241083	-89.367750	CONCRETE	CHANNEL BEAM	61.5
660A7190001	OBION	0A719	0.08	RICHLAND CREEK	OPEN	8/23/2011	1983	36.321083	-89.264361	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	44.5
66M29480001	OBION	0A815	0.25	HARRIS FORK CREEK	WEIGHT POSTED	8/24/2011	1940	36.500444	-88.878750	STEEL	STRINGER/MULTI-BEAM OR GIRDER	21.5

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
660B1000001	OBION	0B100	0.77	OBION R. DRAINAGE CANEL	OPEN	8/23/2011	1928	36.216833	-89.196694	CONCRETE	TEE BEAM	49.5
660B1000003	OBION	0B100	1.30	OVERFLOW	OPEN	8/23/2011	1928	36.224417	-89.195778	CONCRETE	TEE BEAM	47.9
660B1000005	OBION	0B100	1.90	OVERFLOW	OPEN	8/23/2011	1928	36.233083	-89.194583	CONCRETE	TEE BEAM	48.7
67F00190001	OVERTON	01205	5.18	ROARING RIVER	OPEN	8/2/2011	1973	36.337633	-85.377700	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53.6
67SR0420007	OVERTON	01506	9.06	CARR CREEK	OPEN	8/16/2011	1953	36.345717	-85.334633	CONCRETE	TEE BEAM	45.9
67022360001	OVERTON	02236	0.87	TURKEY CREEK	WEIGHT POSTED	8/1/2011	1940	36.245350	-85.409600	STEEL	STRINGER/MULTI-BEAM OR GIRDER	12.9
670A1520001	OVERTON	0A152	0.27	MONROE CREEK	WEIGHT POSTED	8/8/2011	1900	36.445367	-85.260717	STEEL	STRINGER/MULTI-BEAM OR GIRDER	22.9
670A2550001	OVERTON	0A255	0.02	BIG LAUREL CREEK	OPEN	8/2/2011	1903	36.268500	-85.111967	STEEL	GIRDER AND FLOORBEAM SYSTEM	40.6
680A0080001	PERRY	0A008	0.05	SPRING CREEK	OPEN	3/3/2010	1982	35.654800	-87.992800	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	68.0
70S43130007	POLK	01223	0.12	FOURMILE CREEK	WEIGHT POSTED	4/29/2010	1968	35.174617	-84.653733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	33.7
70022680001	POLK	02268	1.53	CONASAUGA RIVER	WEIGHT POSTED	6/21/2010	1924	35.000872	-84.753750	CONCRETE	ARCH - DECK	28.2
70S43150003	POLK	02317	1.55	TURTLETOWN CREEK	WEIGHT POSTED	5/24/2010	1955	35.145800	-84.330800	CONCRETE	TEE BEAM	25.6
700A3170001	POLK	0A317	1.13	CSX RAILROAD	WEIGHT POSTED	6/9/2010	1915	35.231983	-84.611317	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.2
710A7060001	PUTNAM	0A706	1.62	FALLING WATER RIVER	OPEN	10/7/2010	1940	36.138200	-85.426967	STEEL	STRINGER/MULTI-BEAM OR GIRDER	27.2
720A0240001	RHEA	0A024	0.72	ROARING CREEK	OPEN	10/5/2010	1993	35.445183	-85.088583	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	66.6
73023740001	ROANE	02374	9.24	POPLAR CREEK	OPEN	3/7/2011	1970	35.961967	-84.396250	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	47.0
73036890001	ROANE	03689	0.45	SOUTHERN RAILWAY	CLOSED	3/2/2011	1950	35.937486	-84.553011	STEEL	STRINGER/MULTI-BEAM OR GIRDER	4.0
730A6330001	ROANE	0A633	1.90	BRANCH	WEIGHT POSTED	4/26/2011	1965	35.672617	-84.562533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	34.3
730A6560001	ROANE	0A992	0.06	CARDIFF CREEK	WEIGHT POSTED	4/6/2011	1965	35.891700	-84.630467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.7
75010570001	RUTHERFORD	01057	0.31	CSX RAILROAD	OPEN	8/9/2010	1983	36.021800	-86.590633	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - MULTIPLE	76.4
750A2360001	RUTHERFORD	0A236	0.13	CRIPPLE CREEK	OPEN	10/13/2010	1930	35.875633	-86.263483	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.2
750A2380001	RUTHERFORD	0A238	0.45	BRADLEY CREEK	OPEN	10/15/2010	1955	35.922233	-86.274183	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	42.4
76S24490001	SCOTT	01240	0.31	BRANCH	OPEN	11/24/2010	1948	36.561100	-84.444433	CONCRETE	TEE BEAM	70.3
760A0080001	SCOTT	0A008	1.83	PUNCHEONCAMP CREEK	OPEN	11/18/2010	1975	36.543950	-84.555217	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	59.1
760A0400007	SCOTT	0A040	4.82	PINE CREEK	WEIGHT POSTED	12/1/2010	1924	36.466050	-84.596800	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.8
760A0630001	SCOTT	0A063	0.84	ROARING PAUNCH CREEK	OPEN	11/24/2010	1933	36.578867	-84.439517	CONCRETE	ARCH - DECK	74.5
760A1210003	SCOTT	0A121	1.90	SMITH CREEK	WEIGHT POSTED	11/17/2010	1920	36.461750	-84.380417	STEEL	STRINGER/MULTI-BEAM OR GIRDER	9.1
760A1370001	SCOTT	0A137	0.01	JELICO CREEK	WEIGHT POSTED	11/22/2010	1975	36.570267	-84.316900	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.5
760A2830001	SCOTT	0A209	1.75	BRANCH	OPEN	12/3/2010	1938	36.359750	-84.597350	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	60.5
760A2220001	SCOTT	0A249	0.05	BRIMSTONE CREEK	WEIGHT POSTED	12/8/2010	1940	36.315450	-84.512583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	15.4

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
760A2950003	SCOTT	0A295	2.05	BOWLING BRANCH	WEIGHT POSTED	11/3/2010	1981	36.269467	-84.392617	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	26.5
760A1850001	SCOTT	0A323	0.01	STRAIGHT FORK CREEK	WEIGHT POSTED	10/26/2010	1930	36.384517	-84.343017	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	18.4
760A1020001	SCOTT	0A450	0.32	STANLEY CREEK	WEIGHT POSTED	11/2/2010	1965	36.461333	-84.409050	STEEL	STRINGER/MULTI-BEAM OR GIRDER	44.8
780A2890001	SEVIER	0A289	0.22	EAST FORK DUNN CREEK	WEIGHT POSTED	6/15/2011	1974	35.846383	-83.424050	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.3
780A3530003	SEVIER	0A353	0.79	WEBB CREEK	WEIGHT POSTED	6/27/2011	1965	35.760167	-83.389450	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.8
780A5620001	SEVIER	0A562	0.13	WALDENS CREEK	WEIGHT POSTED	7/19/2011	1970	35.785433	-83.626600	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.9
780A7840001	SEVIER	0A784	0.30	LITTLE PIEGON RIVER	WEIGHT POSTED	6/20/2011	1970	35.795533	-83.420583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	28.8
780A8520001	SEVIER	0A852	0.11	ROARING FORK CREEK	OPEN	7/6/2011	1970	35.717617	-83.506783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	39.7
780A8670001	SEVIER	0A867	0.02	BASKINS CREEK	OPEN	7/7/2011	1970	35.709967	-83.512800	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.3
780A8920001	SEVIER	0A892	0.01	LE CONTE CREEK	OPEN	7/6/2011	1970	35.701683	-83.513583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	11.9
79S81030001	SHELBY	00803	3.87	LOOSAHATCHIE RIVER	WEIGHT POSTED	6/7/2011	1953	35.262444	-89.929417	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	37.0
79008030003	SHELBY	00803	9.15	BIG CREEK CANAL	OPEN	5/23/2011	1955	35.332806	-89.898167	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.8
79014680001	SHELBY	01468	0.80	BIG CREEK	OPEN	6/6/2011	1951	35.379139	-89.807139	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.8
790A1860001	SHELBY	02178	4.22	FRANKS BRANCH	WEIGHT POSTED	6/22/2011	1954	35.261972	-89.801750	CONCRETE	TEE BEAM	17.8
79028110001	SHELBY	02810	0.00	LL-PLOUGH/WINCHESTER RD	OPEN	5/9/2011	1978	35.053306	-89.987361	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	58.0
79S80770005	SHELBY	02810	1.51	NONCONNAH CREEK	OPEN	7/7/2011	1936	35.073472	-89.986056	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	47.8
79S80770007	SHELBY	02810	2.97	AIRWAYS BLVD/YALE YARDS	OPEN	5/11/2011	1954	35.094194	-89.987278	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	35.0
79028220001	SHELBY	02822	0.38	CNIC RAILROAD	OPEN	5/11/2011	1950	35.216583	-90.023722	CONCRETE	TEE BEAM	46.5
79S81000001	SHELBY	02837	2.24	CNIC RAILROAD	OPEN	5/12/2011	1977	35.056389	-90.099417	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	94.6
79040320002	SHELBY	04032	1.71	S COOPER-LL / HOLMES RD	OPEN	5/16/2011	1968	35.148194	-89.951833	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	70.8
79040320004	SHELBY	04032	2.10	S COOPER-LL/N HIGHLAND	OPEN	5/16/2011	1969	35.148139	-89.944806	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	67.7
79040320003	SHELBY	04032	2.10	S COOPER-RL/N HIGHLAND	OPEN	5/16/2011	1969	35.147944	-89.944778	STEEL CONTINUOUS	FRAME (EXCEPT FRAME CULVERTS)	66.6
79040140001	SHELBY	04182	0.27	FLETCHER CREEK	OPEN	5/24/2011	1960	35.166667	-89.878306	STEEL	STRINGER/MULTI-BEAM OR GIRDER	52.8
79028240003	SHELBY	04186	1.78	WOLF RIVER	OPEN	7/14/2011	1974	35.184972	-89.944194	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	79.0
790M0840003	SHELBY	04191	0.99	DAYS CREEK	WEIGHT POSTED	5/19/2011	1968	35.060833	-89.993667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	20.2
790B5590005	SHELBY	05012	3.58	JOHNS CREEK	OPEN	5/24/2011	1962	35.061861	-89.891361	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.2
790A9990001	SHELBY	05065	0.69	BRANCH	OPEN	5/24/2011	1965	35.013917	-90.002000	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.2
790A7660001	SHELBY	05081	0.30	DRAINAGE DITCH	OPEN	5/24/2011	1964	35.025000	-90.048694	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	68.4

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
79040320023	SHELBY	05156	4.35	MENDENHALL RD / S COOPER	OPEN	5/31/2011	1968	35.147667	-89.898056	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	60.6
790B6370001	SHELBY	05200	1.09	CSX RR (ABAND)	OPEN	5/24/2011	1949	35.139111	-89.951722	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	34.4
79SR0570011	SHELBY	05250	0.01	RAMP FOR SR57 & SCOTT ST	OPEN	6/14/2011	1958	35.136111	-89.967861	CONCRETE	SLAB	42.1
790A1350001	SHELBY	0C025	0.94	W BEAVER CREEK	CLOSED	6/2/2011	1977	35.396389	-89.723333	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	36.8
790A0440001	SHELBY	0C108	1.37	BIG CREEK	OPEN	7/18/2011	1960	35.315861	-89.974389	STEEL	STRINGER/MULTI-BEAM OR GIRDER	65.9
790A0370001	SHELBY	0C126	0.74	JAKES CREEK	OPEN	6/7/2011	1963	35.351028	-89.969306	STEEL	STRINGER/MULTI-BEAM OR GIRDER	54.4
790C4120001	SHELBY	0C412	0.54	BRANCH	OPEN	6/14/2011	1960	35.239444	-89.983556	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	62.2
790A8870001	SHELBY	0D356	0.02	BRANCH	OPEN	6/14/2011	1977	35.201333	-89.911333	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	69.9
790A2290001	SHELBY	0D839	1.15	BRANCH	OPEN	6/22/2011	1963	35.247778	-89.798722	STEEL	STRINGER/MULTI-BEAM OR GIRDER	57.3
790B5900001	SHELBY	0E682	0.15	CHANNEL 3 DR / RIVERSIDE	OPEN	6/16/2011	1948	35.127028	-90.066806	STEEL	STRINGER/MULTI-BEAM OR GIRDER	54.0
790E9450001	SHELBY	0E945	0.27	BRANCH	OPEN	6/21/2011	1970	35.082750	-90.068056	PRESTRESSED CONCRETE	TEE BEAM	52.8
790G0020001	SHELBY	0J125	0.26	BRANCH	OPEN	6/20/2011	1915	35.161056	-90.047833	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	61.1
790G0010001	SHELBY	0J126	0.10	GAYOSO BAYOU	OPEN	6/20/2011	1940	35.158944	-90.046667	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	62.1
79028160001	SHELBY	0K562	1.41	BRANCH	OPEN	6/20/2011	1958	35.159944	-90.046778	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	62.0
79SR0140029	SHELBY	0K800	0.21	WOLF RIVER	OPEN	7/12/2011	1939	35.200139	-89.923361	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.0
80S62620001	SMITH	01068	1.02	BRUSH CREEK	OPEN	7/13/2011	1935	36.122100	-86.006183	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.1
80020760003	SMITH	02076	0.86	LITTLE INDIAN CREEK	WEIGHT POSTED	7/12/2011	1927	36.225717	-85.781300	STEEL	STRINGER/MULTI-BEAM OR GIRDER	3.0
80020840005	SMITH	02084	4.03	BRANCH	OPEN	6/15/2011	1919	36.373033	-85.832850	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	34.4
800A0280001	SMITH	0A028	0.03	PEYTON CREEK	OPEN	6/13/2011	1930	36.323550	-85.967733	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	46.0
800A0390001	SMITH	0A039	2.87	LANKFORD BRANCH	OPEN	6/17/2011	1960	36.340783	-85.918317	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	51.0
800A0390003	SMITH	0A039	3.00	LANKFORD BRANCH	OPEN	6/17/2011	1960	36.339600	-85.917167	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	28.8
800A0390005	SMITH	0A039	3.44	LANKFORD BRANCH	OPEN	6/17/2011	1960	36.333517	-85.914733	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	31.6
800A0470001	SMITH	0A047	0.14	DEFEATED CREEK	WEIGHT POSTED	7/26/2011	1940	36.345100	-85.897267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.0
810A3650001	STEWART	0A365	1.69	N FORK HURRICANE CREEK	OPEN	3/17/2010	1984	36.347283	-87.815417	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	70.0
810A3130003	STEWART	0A380	2.47	TERRAPIN RUN BRANCH	OPEN	3/12/2010	1978	36.411733	-87.927867	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	69.9
81018260001	STEWART	0A467	0.54	STANDING ROCK CREEK	OPEN	3/11/2010	1978	36.432183	-87.960350	PRESTRESSED CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	49.0
82S25120009	SULLIVAN	01375	0.22	BOOHER CREEK	OPEN	4/19/2010	1927	36.516233	-82.353667	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	63.9
82SR0370001	SULLIVAN	01392	0.99	INDIAN CREEK	OPEN	3/30/2010	1928	36.427250	-82.264850	CONCRETE	TEE BEAM	35.2
82SR0370003	SULLIVAN	01392	1.24	INDIAN CREEK	OPEN	3/30/2010	1928	36.431533	-82.265783	CONCRETE	TEE BEAM	29.7
820A2210003	SULLIVAN	02599	0.31	MUDDY CREEK	OPEN	4/7/2010	1965	36.481167	-82.364717	CONCRETE	TEE BEAM	45.0

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
8202640005	SULLIVAN	02640	3.67	CSX RAILROAD	OPEN	4/6/2010	1958	36.453317	-82.500250	CONCRETE	TEE BEAM	49.3
82026760001	SULLIVAN	02676	1.87	BEIDLMAN CREEK	WEIGHT POSTED	3/29/2010	1970	36.521000	-82.129533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	23.3
820A0700001	SULLIVAN	03899	0.39	BR OF REEDY CREEK	OPEN	5/1/2010	1938	36.552650	-82.585267	CONCRETE	TEE BEAM	45.9
82M39010003	SULLIVAN	03901	0.60	REEDY CREEK	OPEN	5/1/2010	1940	36.554000	-82.550017	CONCRETE	TEE BEAM	39.1
82039300001	SULLIVAN	03930	0.17	BEAVER CREEK	OPEN	3/24/2010	1975	36.594750	-82.185267	CONCRETE	TEE BEAM	32.8
82025930003	SULLIVAN	0A014	0.83	SINKING CREEK	WEIGHT POSTED	3/31/2010	1955	36.446033	-82.477517	STEEL	STRINGER/MULTI-BEAM OR GIRDER	29.8
820A3530001	SULLIVAN	0A353	0.45	BACK CREEK	WEIGHT POSTED	3/16/2010	1971	36.531933	-82.264200	STEEL	STRINGER/MULTI-BEAM OR GIRDER	54.4
820A4560001	SULLIVAN	0A456	0.05	BEAVER CREEK	OPEN	3/17/2010	1926	36.591000	-82.186567	CONCRETE	ARCH - DECK	61.5
820A8390001	SULLIVAN	0A839	8.63	HARPERS CREEK	OPEN	4/19/2010	1988	36.577533	-81.970000	STEEL	STRINGER/MULTI-BEAM OR GIRDER	50.9
820B4160001	SULLIVAN	0B416	0.98	WALKER FORK CREEK	WEIGHT POSTED	4/30/2010	1960	36.454967	-82.630583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	33.6
820B4190001	SULLIVAN	0B419	2.98	WALKER FORT CREEK	OPEN	4/30/2010	1935	36.452900	-82.668950	CONCRETE	TEE BEAM	45.4
820C4240001	SULLIVAN	0C424	1.08	FALL CREEK	OPEN	4/29/2010	1987	36.539067	-82.438217	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	58.2
820C4730001	SULLIVAN	0C473	0.03	REEDY CREEK	OPEN	3/16/2010	1940	36.575533	-82.353500	STEEL	STRINGER/MULTI-BEAM OR GIRDER	68.0
820C5190001	SULLIVAN	0C519	0.12	BRANCH	OPEN	2/8/2010	1915	36.577783	-82.362583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	88.0
820C5340001	SULLIVAN	0C534	0.01	REEDY CREEK	OPEN	2/8/2010	1965	36.572500	-82.409250	CONCRETE	CHANNEL BEAM	41.6
820C8350001	SULLIVAN	0C835	0.04	MUDDY CREEK	WEIGHT POSTED	4/7/2010	1989	36.479417	-82.365150	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.8
84S81930031	TIPTON	00808	3.08	BRANCH	OPEN	9/20/2010	1954	35.602861	-89.742611	CONCRETE	CHANNEL BEAM	48.0
840A4100005	TIPTON	01417	0.77	OVERFLOW	WEIGHT POSTED	9/22/2010	1983	35.500917	-89.731472	CONCRETE	CHANNEL BEAM	37.4
84014590001	TIPTON	01459	0.41	BRANCH	OPEN	9/20/2010	1984	35.397861	-89.696222	CONCRETE	CHANNEL BEAM	51.2
84014720007	TIPTON	01472	4.75	ROYSTER CREEK	WEIGHT POSTED	9/20/2010	1970	35.413389	-89.924556	CONCRETE	CHANNEL BEAM	36.4
84014760003	TIPTON	01476	0.66	BRANCH	WEIGHT POSTED	9/28/2010	1976	35.481556	-89.719583	CONCRETE	CHANNEL BEAM	14.8
84014760007	TIPTON	01476	0.90	HATCHEL CREEK	WEIGHT POSTED	9/22/2010	1973	35.479611	-89.715861	CONCRETE	CHANNEL BEAM	30.4
84014790001	TIPTON	01479	1.61	TOWN CREEK	WEIGHT POSTED	9/23/2010	1975	35.598861	-89.667778	CONCRETE	CHANNEL BEAM	44.4
84SR0590013	TIPTON	04440	0.88	DRAINAGE DITCH	OPEN	9/28/2010	1967	35.551778	-89.643056	CONCRETE	CHANNEL BEAM	26.5
840A2570003	TIPTON	05448	1.57	BIG CREEK	WEIGHT POSTED	9/21/2010	1960	35.405750	-89.827750	CONCRETE	CHANNEL BEAM	12.8
840A0790001	TIPTON	0A079	1.72	BRANCH - HATCHIE RIV.	OPEN	9/27/2010	1970	35.575056	-89.601528	CONCRETE	CHANNEL BEAM	50.8
840A0810001	TIPTON	0A081	1.59	BRANCH	OPEN	9/27/2010	1970	35.350000	-89.634444	CONCRETE	CHANNEL BEAM	47.9
840A1560001	TIPTON	0A156	0.65	BRANCH	OPEN	9/22/2010	1975	35.408139	-89.655056	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.3
840A1690001	TIPTON	0A169	0.76	HALL CREEK	WEIGHT POSTED	9/23/2010	1969	35.462139	-89.634889	CONCRETE	CHANNEL BEAM	45.3
840A2100003	TIPTON	0A210	2.87	MYRON CREEK	WEIGHT POSTED	9/27/2010	1975	35.492028	-89.757694	CONCRETE	CHANNEL BEAM	38.4
840A3490001	TIPTON	0A349	1.65	SUGAR CREEK	CLOSED	9/28/2010	1975	35.499722	-89.919861	CONCRETE	CHANNEL BEAM	31.9
840A3900003	TIPTON	0A390	1.13	BRANCH	WEIGHT POSTED	9/27/2010	1976	35.529611	-89.806361	CONCRETE	CHANNEL BEAM	47.1
840A4170001	TIPTON	0A417	1.01	BRANCH	WEIGHT POSTED	9/27/2010	1969	35.520694	-89.711000	STEEL	STRINGER/MULTI-BEAM OR GIRDER	32.4
840A4350003	TIPTON	0A435	0.84	BRANCH	OPEN	9/27/2010	1969	35.551000	-89.685222	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	34.9
840A5630005	TIPTON	0A563	0.49	BRANCH	WEIGHT POSTED	9/29/2010	2005	35.445972	-89.567500	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	24.2
860A0480001	UNICOI	0A048	0.01	S INDIAN CREEK	OPEN	8/30/2010	1988	36.068333	-82.507850	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	58.1
860A0510001	UNICOI	0A051	0.22	SPIVEY CREEK	OPEN	9/1/2010	1978	36.038650	-82.487333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.8
860A0520001	UNICOI	0A052	0.21	SPIVEY CREEK	WEIGHT POSTED	9/7/2010	1978	36.037317	-82.483067	STEEL	STRINGER/MULTI-BEAM OR GIRDER	40.1

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
860A0550007	UNICOI	0A055	1.33	LITTLE HIGGINS CREEK	OPEN	8/24/2010	1978	36.086233	-82.515383	STEEL	STRINGER/MULTI-BEAM OR GIRDER	53.2
860A0560001	UNICOI	0A056	1.51	GRANNY LEWIS CREEK	WEIGHT POSTED	8/30/2010	1978	36.087067	-82.485150	STEEL	STRINGER/MULTI-BEAM OR GIRDER	36.2
860A0690001	UNICOI	0A069	0.58	SOUTH INDIAN CREEK	WEIGHT POSTED	9/1/2010	1974	36.115900	-82.455783	STEEL	STRINGER/MULTI-BEAM OR GIRDER	10.8
860A4260001	UNICOI	0A426	0.08	NORTH INDIAN CREEK	WEIGHT POSTED	8/18/2010	1974	36.184983	-82.525467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	18.7
860A4810001	UNICOI	0A481	0.01	DRY CREEK	OPEN	8/17/2010	1990	36.180167	-82.375350	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.3
860A6010001	UNICOI	0A601	0.04	SOUTH INDIAN CREEK	WEIGHT POSTED	8/30/2010	1975	36.049700	-82.531467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.8
87S23460003	UNION	01090	7.18	BRANCH	WEIGHT POSTED	9/23/2010	1956	36.345833	-83.773200	STEEL CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	15.8
870A0550001	UNION	01345	0.03	LITTLE BARREN CREEK	OPEN	9/23/2010	1976	36.365467	-83.754317	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	60.9
870A1210001	UNION	0A121	0.16	BULL RUN CREEK	WEIGHT POSTED	10/8/2010	1962	36.217717	-83.777917	STEEL	STRINGER/MULTI-BEAM OR GIRDER	41.8
870A1210005	UNION	0A121	3.86	N. FORK BULL RUN CREEK	WEIGHT POSTED	10/8/2010	1940	36.249433	-83.796667	STEEL	STRINGER/MULTI-BEAM OR GIRDER	47.7
870A1220005	UNION	0A122	2.13	BULL RUN CREEK	WEIGHT POSTED	10/8/2010	1960	36.226083	-83.766550	STEEL	STRINGER/MULTI-BEAM OR GIRDER	42.0
870A1370003	UNION	0A137	2.02	FLAT CREEK	OPEN	10/18/2010	1940	36.202433	-83.739333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	44.1
870A1560005	UNION	0A156	1.39	N FORK BULL RUN CREEK	OPEN	10/6/2010	1975	36.218733	-83.829833	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	60.4
870A1560003	UNION	0A156	5.33	RACCOON CREEK	OPEN	10/20/2010	1981	36.190617	-83.884700	STEEL	CULVERT (INCLUDES FRAME CULVERTS)	59.3
89011000001	WARREN	01100	0.59	SMALL BRANCH	OPEN	4/6/2011	1943	35.655517	-85.982033	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	43.9
89003880003	WARREN	01114	1.83	BRANCH	OPEN	4/6/2011	1973	35.667583	-85.963600	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.4
890A0960001	WARREN	0A096	0.46	CHARLES CREEK	OPEN	3/14/2011	1965	35.757150	-85.884367	CONCRETE	TEE BEAM	50.4
890A4250001	WARREN	0A425	0.85	W FORK HICKORY CREEK	CLOSED	3/22/2011	1925	35.593133	-85.866650	CONCRETE CONTINUOUS	ARCH - DECK	11.3
90013350001	WASHINGTON	01335	4.47	BRANCH	WEIGHT POSTED	6/23/2010	1955	36.335183	-82.573467	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.6
90025750001	WASHINGTON	02575	0.14	LITTLE LIMESTONE CREEK	OPEN	6/17/2010	1930	36.247383	-82.542850	STEEL	STRINGER/MULTI-BEAM OR GIRDER	48.4
90026440001	WASHINGTON	02644	0.63	FORD CREEK	OPEN	6/25/2010	1950	36.414617	-82.485717	CONCRETE	SLAB	42.7
90039600003	WASHINGTON	03960	0.06	CSX RAILROAD	OPEN	6/16/2010	1988	36.312700	-82.333067	PRESTRESSED CONCRETE CONTINUOUS	STRINGER/MULTI-BEAM OR GIRDER	8.4
900A6740001	WASHINGTON	0A674	0.54	BRUSH CREEK	OPEN	6/24/2010	1940	36.325972	-82.346611	CONCRETE	SLAB	47.1
900A8730001	WASHINGTON	0A873	0.53	LIMESTONE CREEK	WEIGHT POSTED	6/14/2010	1920	36.222267	-82.599583	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.6
900A9700001	WASHINGTON	0A970	0.03	LITTLE LIMESTONE CREEK	OPEN	6/17/2010	1920	36.249400	-82.544333	STEEL	STRINGER/MULTI-BEAM OR GIRDER	43.4
900B0880001	WASHINGTON	0B088	0.05	CLARK CREEK	WEIGHT POSTED	6/14/2010	1970	36.163133	-82.539400	STEEL	STRINGER/MULTI-BEAM OR GIRDER	35.9
900B0990001	WASHINGTON	0B099	0.77	CASSI CREEK	WEIGHT POSTED	6/14/2010	1952	36.142983	-82.604633	STEEL	STRINGER/MULTI-BEAM OR GIRDER	30.6
900B1810001	WASHINGTON	0B181	0.10	LITTLE CHEROKEE CREEK	WEIGHT POSTED	6/8/2010	1930	36.222817	-82.457350	CONCRETE CONTINUOUS	SLAB	35.9
900B4350001	WASHINGTON	0B435	0.05	CSX RAILROAD	OPEN	6/30/2010	1970	36.300300	-82.354683	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	48.0

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409

**STRUCTURALLY DEFICIENT
LOCALLY MAINTAINED BRIDGES IN TENNESSEE**

BRIDGE ID#	COUNTY	ROUTE	LOG MILE	FEATURE INTERSECTED	POSTING STATUS	INSPECTION DATE	YEAR BUILT	LATITUDE	LONGITUDE	MAIN SPAN MATERIAL	MAIN SPAN TYPE	SUFFICIENCY RATING
900B8440001	WASHINGTON	0B844	0.06	SINKING CREEK	WEIGHT POSTED	6/3/2010	1950	36.274067	-82.368350	STEEL	STRINGER/MULTI-BEAM OR GIRDER	34.0
90013690001	WASHINGTON	0C900	3.54	WATAUGA RIVER	OPEN	6/15/2010	1985	36.396067	-82.346167	PRESTRESSED CONCRETE CONTINUOUS	BOX BEAM OR GIRDERS - SINGLE OR SPREAD	41.1
91017670015	WAYNE	01767	16.16	HURRICANE CREEK	OPEN	9/14/2011	1967	35.307967	-87.717967	CONCRETE	CULVERT (INCLUDES FRAME CULVERTS)	58.4
910A1410001	WAYNE	0A141	1.67	SIMMONS BRANCH	OPEN	8/2/2011	1999	35.357600	-87.717767	CONCRETE	CHANNEL BEAM	55.5
910A2220003	WAYNE	0A222	6.61	DOUBLE BRANCH	WEIGHT POSTED	11/19/2009	1960	35.216233	-87.675650	STEEL	STRINGER/MULTI-BEAM OR GIRDER	19.6
910A2220009	WAYNE	0A222	8.62	DOUBLE BRANCH	WEIGHT POSTED	11/19/2009	1960	35.207667	-87.642267	STEEL	STRINGER/MULTI-BEAM OR GIRDER	31.7
910A2800001	WAYNE	0A280	0.23	BUTLER CREEK	OPEN	6/20/2011	1935	35.080600	-87.658783	CONCRETE CONTINUOUS	CULVERT (INCLUDES FRAME CULVERTS)	47.1
910A3030001	WAYNE	0A303	0.14	HOLLY BRANCH	WEIGHT POSTED	6/15/2011	1965	35.056967	-87.602850	STEEL	STRINGER/MULTI-BEAM OR GIRDER	37.8
910A3650001	WAYNE	0A365	0.69	BRANCH	WEIGHT POSTED	7/6/2011	1975	35.045667	-87.908533	STEEL	STRINGER/MULTI-BEAM OR GIRDER	25.4
910A4640001	WAYNE	0A464	0.01	INDIAN CREEK	WEIGHT POSTED	9/8/2011	1955	35.195500	-87.826433	STEEL	STRINGER/MULTI-BEAM OR GIRDER	45.6
910A4750001	WAYNE	0A475	0.11	INDIAN CREEK	WEIGHT POSTED	4/6/2011	1965	35.230267	-87.856700	STEEL	STRINGER/MULTI-BEAM OR GIRDER	13.0
910A4780001	WAYNE	0A478	1.08	HOG CREEK	OPEN	12/3/2009	1950	35.276533	-87.834550	STEEL	STRINGER/MULTI-BEAM OR GIRDER	16.7
92S80110007	WEAKLEY	00815	6.10	NORTH FORK OBION RIVER	OPEN	2/23/2011	1956	36.405444	-88.790278	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	63.3
92008590011	WEAKLEY	00859	10.31	MIDDLE FORK OBION RIVER	OPEN	3/21/2011	1938	36.250306	-88.653694	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	45.4
92008590013	WEAKLEY	00859	10.48	OVERFLOW	OPEN	3/8/2011	1940	36.252194	-88.655139	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	43.4
92008590015	WEAKLEY	00859	10.65	OVERFLOW	OPEN	3/8/2011	1940	36.254111	-88.657056	CONCRETE	STRINGER/MULTI-BEAM OR GIRDER	45.4
92016100001	WEAKLEY	01610	2.89	TERRELL BRANCH	OPEN	3/1/2011	1975	36.249722	-88.746000	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	18.1
92016220005	WEAKLEY	01622	0.63	POWELL CREEK	CLOSED	3/2/2011	1970	36.480139	-88.639639	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	26.9
920A0890001	WEAKLEY	0A089	1.14	CAMP GROUND CREEK	OPEN	3/4/2011	1975	36.391806	-88.771139	PRESTRESSED CONCRETE	BOX BEAM OR GIRDERS - MULTIPLE	62.4
920A2350001	WEAKLEY	0A235	0.23	THOMPSON CREEK	WEIGHT POSTED	3/7/2011	1970	36.314500	-88.567000	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	38.9
920A2770001	WEAKLEY	0A277	0.25	THOMPSON CREEK	OPEN	3/7/2011	1970	36.291556	-88.576306	CONCRETE	CHANNEL BEAM	60.5
920A3620003	WEAKLEY	0A362	0.78	BEAR CREEK	OPEN	3/8/2011	1970	36.115267	-88.658483	WOOD OR TIMBER	STRINGER/MULTI-BEAM OR GIRDER	20.9
920A6660001	WEAKLEY	0A666	0.38	CYPRESS CREEK	WEIGHT POSTED	3/10/2011	1983	36.336861	-88.924139	CONCRETE	CHANNEL BEAM	47.8
93SR0420003	WHITE	0A966	6.74	FALLING WATER RIVER	OPEN	3/30/2010	1935	36.081550	-85.505900	CONCRETE	TEE BEAM	31.8
94F00290007	WILLIAMSON	00980	11.29	HARPETH RIVER	OPEN	4/25/2011	1941	35.786300	-86.661083	STEEL	STRINGER/MULTI-BEAM OR GIRDER	69.3
94019220005	WILLIAMSON	01922	8.53	GARRISON BRANCH	OPEN	6/3/2011	1940	35.871583	-87.056617	STEEL	STRINGER/MULTI-BEAM OR GIRDER	49.8
940A3890009	WILLIAMSON	0A389	2.53	CANEY FORK CREEK	OPEN	6/16/2011	1975	35.935117	-87.112933	CONCRETE	SLAB	74.9

**PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST**
 This document is covered by 23 USC §409
 And its production pursuant to a public
 document records request does not
 waive the provisions of §409